# Index to volume 47

## Author index*


*A*

Abdulghani AA (*see* Gottlieb et al). 2002;47:692-700
Acevedo A (*see* Ruiz-Rodriguez et al). 2002;47:740-2 (Therapy)
Adams BB, Gloster HM. Surgical pearl: excision with suprakeloidal flap and radiation therapy for keloids. 2002;47:307-9 (Pearls)
Adams BB. Tinea corporis gladiatorum. 2002;47:286-90 (Clin. rev.)
Agarwal-Antal N, Bowen GM, Gerwels JW. Histologic evaluation of lentigo maligna with permanent sections: implications regarding current guidelines. 2002;47:743-8 (Derm. surgery)
Ahmed AR (*see* Engineer et al). 2002;47:943-6 (Case rep.)
Ahmed DDF (*see* Elston et al). 2002;47:291-9 (Periodic synopsis)
Ahmed I, Tope WD, Young TL, Miller DM, Bloom KE. Neurocutaneous melanosis in association with encephalocraniocutaneous lipomatosis. 2002;47:S196-200 (Case rep.)
Akagi A, Tajima S, Kawada A, Ishibashi A. Coexistence of pseudoxanthoma elasticum-like papillary dermal elastolysis and linear focal dermal elastosis. 2002;47:S189-92 (Case rep.)
Al Aboud K (*see* Alfadley et al). 2002;47:S275-8 (Case rep.)
Al Hawsawi K (*see* Alfadley et al). 2002;47:S275-8 (Case rep.)
Alam M, Bickers DR. Airbag trauma induced cutaneous fistulae in a heart transplant patient. 2002;47:S175-6 (Case rep.)
Alavi A (*see* Shapiro et al). 2002;47:623-8 (Brief rep.)
Albert MR, Ostheimer KG. The evolution of current medical and popular attitudes toward ultraviolet light exposure: part 1. 2002;47:930-7 (History)
Alefacept Clinical Study Group (*see* Krueger et al). 2002;47:821-33
Alfadley A, Al Hawsawi K, Hainau B, Al Aboud K. Two brothers with keratosis follicularis spinulosa decalvans. 2002;47:S275-8 (Case rep.)
Aliaga A (*see* Pérez et al). 2002;47:21-7
Allen RS (*see* Gottlieb et al). 2002;47:692-700
Alli N, Toy GG. Familial Mediterranean fever: attacks during isotretinoin treatment. 2002;47:967 (Letters: case notes)
Allison DS, el-Azhary RA, Calobrisi SD, Dicken CH. Pityriasis rubra pilaris in children. 2002;47:386-9
Almeida ART (*see* Kadunc et al). 2002;47:129-31 (Pearls)
Alvarez JG (*see* Ruiz-Rodriguez et al). 2002;47:740-2 (Therapy)
Álvarez-Cuesta C, Raya-Aguado C, Vásquez-López F, García PB, Pérez-Oliva N. Nevus of Ota associated with ipsilateral deafness. 2002;47:S257-9 (Case rep.)
Al-Waiz M (*see* Sharquie et al). 2002;47:159-60 (Letter reply)
Anderson RR (*see* Yun et al). 2002;47:542-7
Andres K (*see* Geisse et al). 2002;47:390-8
Andrews JS (*see* Lehmann et al). 2002;47:231-40
Antonovich D, Whalen JD. Surgical pearl: marking of cutaneous excisional specimens for orientation. 2002;47:776 (Pearls)
Anveden I (*see* Swartling et al). 2002;47:667-71
Apisarnthanarax N (*see* Talpur et al). 2002;47:672-84
Aractingi S (*see* Eliaszewicz et al). 2002;47:40-6
Argenziano G (*see* Pizzichetta et al). 2002;47:137-9 (Case rep.)
Aronson I (*see* Geraminejad et al). 2002;47:641-55 (CME article)
Asan Y (*see* Kubo et al). 2002;47:148-51 (Brief rep.)
Aste N, Fumo G, Contu F, Aste N, Biggio P. Nail pigmentation caused by hydroxyurea: report of 9 cases. 2002;47:146-7 (Brief rep.)
Aste N (*see* Aste et al). 2002;47:146-7 (Brief rep.)
Au S, Crawford RI. Three-dimensional analysis of a calciphylaxis plaque: clues to pathogenesis. 2002;47:53-7
Audhuy B (*see* Grange et al). 2002;47:530-4
Axelrod FB (*see* Zaenglein et al). 2002;47:445-7 (Case rep.)
Azizlerli G (*see* Baykal et al). 2002;47:875-80

*B*

Bagheri S, Nichols K, PUVA Follow Up Study (*see* Stern et al). 2002;47:33-9
Baran R, Perrin C. Bowen's disease clinically simulating an onychomatricoma. 2002;47:947-9 (Case rep.)
Baran R. Pyogenic granuloma-like lesions associated with topical retinoid therapy. 2002;47:970 (Letters: notes & comments)
Baran R (*see* Skowron et al). 2002;47:S187-8 (Case rep.)
Barbagallo JS (*see* Freudenthal and Barbagallo). 2002;47:722-6
Barbosa IL (*see* Correia et al). 2002;47:58-62
Barnes CJ (*see* Sangueza et al). 2002;47:251-7
Barnetson RS (*see* Satchell et al). 2002;47:852-5
Barnette DJ (*see* Ross et al). 2002;47:263-70 (Therapy)
Bart RS (*see* Gelbard et al). 2002;47:224-30
Bauer JW (*see* Szeimies et al). 2002;47:258-62 (Therapy)
Baumann L (*see* Shah et al). 2002;47:241-4
Baykal C, Azizlerli G, Thoma-Uszynski S, Hert M. Pemphigus vulgaris localized to the nose and cheeks. 2002;47:875-80
Beitz J (*see* Brinker et al). 2002;47:798-9 (Letter: notes & comments)
Bell C (*see* Satchell et al). 2002;47:852-5
Bell K (*see* Chen et al). 2002;47:940-1 (Pearls)
Belsito DV (*see* Shackelford and Belsito). 2002;47:715-21
Benedetto AV, Benedetto EA, Griffin TD. Basal cell carcinoma presenting as a large pore. 2002;47:727-32
Benedetto EA (*see* Benedetto et al). 2002;47:727-32
Berg D, Otley CC. Skin cancer in organ transplant recipients: epidemiology, pathogenesis, and management. 2002;47:1-17 (CME article)
Bergfeld WF (*see* Tosti et al). 2002;47:636-7 (Letter)
Berlin AL, Paller AS, Chan LS. Incontinentia pigmenti: a review and update on the molecular basis of pathophysiology. 2002;47:169-87 (CME article)
Berman B, Kaufman J. Pilot study of the effect of postoperative imiquimod 5% cream on recurrence rate of excised keloids. 2002;47:S209-11 (Case rep.)
Bernardó L (*see* Pujol et al). 2002;47:S168-71 (Case rep.)
Bernert RA (*see* Smith et al). 2002;47:749-54 (Dermatopathology)
Beutner EH, Pelton S, Hashimoto T, Xu Y, Plunkett RW, Korman NJ, Helm TN, Jablonska S. A nonfatal case and 2 fatal cases of paraneoplastic pemphigus: can a complement indirect immunofluorescent test help to identify fatal "group A" paraneoplastic pemphigus cases?. 2002;47:841-51
Bickers DR (*see* Alam and Bickers). 2002;47:S175-6 (Case rep.)
Biggio P (*see* Aste et al). 2002;47:146-7 (Brief rep.)
Blanco A (*see* Pujol et al). 2002;47:S168-71 (Case rep.)
Blauvelt A (*see* Rubenstein et al). 2002;47:300-3 (Special report)
Blauvelt A (*see* Weiss et al). 2002;47:512-7
Bleeker MCG, Hogewoning CJA, van den Brule AJC, Voorhorst FJ, van Andel RE, Risse EKJ, Starink TM, Meijer CJLM. Penile lesions and human papillomavirus in male sexual partners of women with cervical intraepithelial neoplasia. 2002;47:351-7
Blewitt RW (*see* Kirby et al). 2002;47:S165-7 (Case rep.)
Bloom KE (*see* Ahmed et al). 2002;47:S196-200 (Case rep.)


*July, pp. 1-168; August, pp. 169-326, S165-204; September, pp. 327-466; October, pp. 467-640, S205-48; November, pp. 641-808, S249-88; December, 809-1006.

Bodey GP, Boktour M, Mays S, Duvic M, Kontoyiannis D, Hachem R, Raad I. Skin lesions associated with *Fusarium* infection. 2002;47:659-66
Bogle MA, Hwang LY, Tschen JA. Acrokeratoelastoidosis. 2002;47:448-51 (Case rep.)
Boktour M (*see* Bodey et al). 2002;47:659-66
Bolognia JL (*see* Willey et al). 2002;47:453 (Letter)
Bordalo O (*see* Matura et al). 2002;47:709-14
Bordes R (*see* Pujol et al). 2002;47:S168-71 (Case rep.)
Boucher KW, Davidson K, Mirakhur B, Goldberg J, Heymann WR. Paronychia induced by cetuximab, an antiepidermal growth factor receptor antibody. 2002;47:632-3 (Letter)
Boulinguez S, Viraben R. Cutaneous *Bacillus cereus* infection in an immunocompetent patient. 2002;47:324-5 (Letter)
Bourgault-Villada I (*see* Eliaszewicz et al). 2002;47:40-6
Bouwhuis SA, el-Azhary RA, Gibson LE, McEvoy MT, Pittelkow MR. Effect of insulin-dependent diabetes mellitus on response to extracorporeal photopheresis in patients with Sézary syndrome. 2002;47:63-7
Bowen GM (*see* Agarwal-Antal et al). 2002;47:743-8 (Derm. surgery)
Bowman PH (*see* Zackheim et al). 2002;47:155-7 (Letter)
Boyd AS. Use of mycophenolate mofetil in erythema nodosum. 2002;47:968-9 (Letters: case notes)
Boyd AS, King LE Jr. Thalidomide-induced remission of lichen planopilaris. 2002;47:967-8 (Letters: case notes)
Boyer JD, Maino KL, Zitelli JA. Surgical pearl: hemostasis assisted with two skin hooks. 2002;47:938-9 (Pearls)
Boyer JD, Zitelli JA, Brodland DG, D'Angelo G. Local control of primary Merkel cell carcinoma: review of 45 cases treated with Mohs micrographic surgery with and without adjuvant radiation. 2002;47:885-92 (Derm. surgery)
Braathen L (*see* Szeimies et al). 2002;47:258-62 (Therapy)
Braverman IM (*see* Engineer et al). 2002;47:943-6 (Case rep.)
Breuer-McHam J (*see* Talpur et al). 2002;47:672-84, 2002;47:685-91
Brinker A, Trontell A, Beitz J. Pregnancy and pregnancy rates in association with isotretinoin (Accutane). 2002;47:798-9 (Letter: notes & comments)
Brinster NK (*see* Goyal et al). 2002;47:S201-4 (Case rep.). Correction 2002;47:972
Bröcker E-B (*see* Schmidt et al). 2002;47:133-6 (Case rep.)
Bröcker E-B (*see* Shimanovich et al). 2002;47:780-4 (Case rep.)
Brodland DG (*see* Boyer et al). 2002;47:885-92 (Derm. surgery)
Brown HA, Gibson LE, Pujol RM, Lust JA, Pittelkow MR. Primary follicular mucinosis: long-term follow-up of patients younger than 40 years with and without clonal T-cell receptor gene rearrangement. 2002;47:856-62
Brown SK, Heilman ER. Granular parakeratosis: resolution with topical tretinoin. 2002;47:S79-280 (Case rep.)
Brown TJ, McCrary M, Tyring SK. Antiviral agents: nonantiviral drugs. 2002;47:581-99 (Clin. rev.). Correction 2002;47:972
Bugdodel R (*see* Shah et al). 2002;47:241-4
Burkhart CG, Gupta AK (*see* Burkhart et al). 2002;47:629-31 (Commentary)
Burkhart CN, Burkhart CG, Gupta AK. Dermatophytoma: recalcitrance to treatment because of existence of fungal biofilm. 2002;47:629-31 (Commentary)
Burnier MN Jr. (*see* Pereira et al). 2002;47:S172-4 (Case rep.)
Bystryn J-C, Jiao D, Natow S. Treatment of pemphigus with intravenous immunoglobulin. 2002;47:358-63

*C*

Callis KP (*see* Krueger and Callis). 2002;47:972 (Letters: notes & comments) (Reply)
Calobrisi SD (*see* Allison et al). 2002;47:386-9
Calzavara-Pinton P, Capezzera R, Zane C, De Panfilis G. Medium-dose ultraviolet A1 therapy for pityriasis lichenoides et varioliformis acuta and pityriasis lichenoides chronica. 2002;47:410-4 (Therapy)
Calzavara-Pinton PG (*see* Szeimies et al). 2002;47:258-62 (Therapy)
Camacho F (*see* Tosti et al). 2002;47:636-7 (Letter)
Camara C (*see* Pipitone et al). 2002;47:118-23 (Current issues)
Campilho F (*see* Correia et al). 2002;47:58-62
Capezzera R (*see* Calzavara-Pinton et al). 2002;47:410-4 (Therapy)
Carey W (*see* Pereira et al). 2002;47:S172-4 (Case rep.)
Carrasco D, vander Straten M, Tyring SK. Treatment of anogenital warts with imiquimod 5% cream followed by surgical excision of residual lesions. 2002;47:S212-6 (Case rep.)
Carucci JA, McGovern TW, Norton SA, Daniel CR, Elewski BE, Fallon-Friedlander S, Lushniak BD, Taylor JS, Warschaw K, Wheeland RG. Cutaneous anthrax management algorithm. 2002;47:766-9 (From the Academy)
Caudell MD (*see* Sangueza et al). 2002;47:251-7
Caumes E (*see* Eliaszewicz et al). 2002;47:40-6
Celebi JT (*see* Ward et al). 2002;47:493-6
Cerroni L (*see* Grange et al). 2002;47:530-4
Cerroni L (*see* Kaddu et al). 2002;47:423-8 (Dermatopathology)
Cervera C (*see* Persaud et al). 2002;47:553-6
Challine D (*see* Eliaszewicz et al). 2002;47:40-6
Chamlin SL, Kao J, Frieden IJ, Sheu MY, Fowler AJ, Fluhr JW, Williams ML, Elias PM. Ceramide-dominant barrier repair lipids alleviate childhood atopic dermatitis: changes in barrier function provide a sensitive indicator of disease activity. 2002;47:198-208
Champagne P (*see* Sauder et al). 2002;47:535-41
Chan HH. Photorejuvenation or photoaging: where does one draw the fine line?. 2002;47:321-2 (Letter)
Chan LS (*see* Berlin et al). 2002;47:169-87 (CME article)
Chang MW (*see* Zaenglein et al). 2002;47:445-7 (Case rep.)
Charles AJ Jr, Otley CC, Pond GR. Prognostic factors for life expectancy in nonagenarians with nonmelanoma skin cancer: implications for selecting surgical candidates. 2002;47:419-22 (Derm. surgery)
Chartier MB, Hoss DM, Grant-Kels JM. Approach to the adult female patient with diffuse nonscarring alopecia. 2002;47:809-18 (CME article)
Chaudhari U (*see* Gottlieb et al). 2002;47:692-700
Chen SC (*see* McCall and Chen). 2002;47:524-9
Chen SC (*see* Rubenstein et al). 2002;47:300-3 (Special report)
Chen TM, Bell K, Orengo I. Surgical pearl: behold the lowly cup. 2002;47:940-1 (Pearls)
Chittineni B (*see* Pipitone et al). 2002;47:118-23 (Current issues)
Chiu A, Kohler S, McGuire J, Kimball AB. Cytarabine-induced acute generalized exanthematous pustulosis. 2002;47:633-5 (Letter)
Chosidow O (*see* Eliaszewicz et al). 2002;47:40-6
Chosidow O (*see* Poszepczynska-Guigné et al). 2002;47:47-52
Christiano AM (*see* Henn et al). 2002;47:519-23
Chung KY (*see* Lee and Chung). 2002;47:578-80 (Derm. surgery)
Ciambellotti A (*see* Gallo et al). 2002;47:633 (Letter)
Clark AH (*see* Mahendran et al). 2002;47:620-2 (Brief rep.)
Cockerell CJ (*see* Curry et al). 2002;47:926-9 (Special report)
Cohen AD (*see* Halevy et al). 2002;47:311-3 (Brief rep.)
Cohen B (*see* DeAmicis et al). 2002;47:S273-4 (Case rep.)
Cohen JL, Keoleian CM, Krull EA. Penile paraffinoma: self-injection with mineral oil. 2002;47:S251-3 (Case rep.)
Coleman WP III (*see* Lawrence and Coleman). 2002;47:105-8 (Periodic synopsis)
Collison DW (*see* Omura et al). 2002;47:950-3 (Case rep.)
Colombo MD (*see* Tosti et al). 2002;47:73-6 (Therapy)

Combemale P (*see* Skowron et al). 2002;47:S187-8 (Case rep.)
Conner K, Nern K, Rudisell J, O'Grady T, Gallo RL. The antimicrobial peptide LL-37 is expressed by keratinocytes in condyloma acuminatum and verruca vulgaris. 2002;47:347-50
Contu F (*see* Aste et al). 2002;47:146-7 (Brief rep.)
Cooke LM (*see* Ross et al). 2002;47:263-70 (Therapy)
Córdoba S (*see* Ruiz-Rodriguez et al). 2002;47:740-2 (Therapy)
Correia O, Delgado L, Barbosa IL, Campilho F, Fleming-Torrinha J. Increased interleukin 10, tumor necrosis factor α and interleukin 6 levels in blister fluid of toxic epidermal necrolysis. 2002;47:58-62
Cowen E, Mercurio MG, Gaspari AA. An open case series of patients with basal cell carcinoma treated with topical 5% imiquimod cream. 2002;47:S240-8 (Case rep.)
Cozzani E (*see* Gallo et al). 2002;47:633 (Letter)
Crawford RI (*see* Au and Crawford). 2002;47:53-7
Croteau D (*see* Sauder et al). 2002;47:535-41
Cullen DR (*see* Shum et al). 2002;47:733-9
Cunningham NM (*see* Rabeni and Cunningham). 2002;47:797-8 (Letter: case notes)
Curry JA (*see* Curry et al). 2002;47:926-9 (Special report)
Curry ML, Curry JA, Cockerell CJ. Dermatology and the Americans With Disabilities Act: a review of the case law. 2002;47:926-9 (Special report)

*D*

Da Raeve L, Roseeuw D, Otten J. Multiple cutaneous granular cell tumors in a child in remission for Hodgkin's disease. 2002;47:S180-2 (Case rep.)
Dahl MV. Imiquimod: a cytokine inducer. 2002;47:S205-8 (Case rep.)
Dahl PR, Perniciaro C, Holmkvist KA, O'Connor MI, Gibson LE. Fulminant group A streptococcal necrotizing fasciitis: clinical and pathologic findings in 7 patients. 2002;47:489-92
D'Angelo G (*see* Boyer et al). 2002;47:885-92 (Derm. surgery)
Daniel CR (*see* Carucci et al). 2002;47:766-9 (From the Academy)
Darling TN (*see* Rubenstein et al). 2002;47:300-3 (Special report)
Davidson K (*see* Boucher et al). 2002;47:632-3 (Letter)
Davis LS (*see* Sangueza et al). 2002;47:251-7
Davis MDP (*see* Drage et al). 2002;47:209-16
Dawber RPR (*see* Tosti et al). 2002;47:636-7 (Letter)
de Castro F (*see* Drage et al). 2002;47:209-16
de Giacomi C (*see* Pizzichetta et al). 2002;47:137-9 (Case rep.)
De Jong MCJM (*see* Vodegal et al). 2002;47:919-25 (Review)
De Panfilis G (*see* Calzavara-Pinton et al). 2002;47:410-4 (Therapy)
DeAmicis T, Mofid MZ, Cohen B, Nousari HC. Hypocomplementemic urticarial vasculitis: report of a 12-year-old girl with systemic lupus erythematosus. 2002;47:S273-4 (Case rep.)
DeKoven J (*see* Sauder et al). 2002;47:535-41
Delgado L (*see* Correia et al). 2002;47:58-62
Dermatologic Consortium for Women's Health (*see* Olsen et al). 2002;47:795 (Commentary)
di Chiacchio N (*see* Kadunc et al). 2002;47:129-31 (Pearls)
Dichmann S, Mrowietz U, Schöpf E, Norgauer J. Humanized monoclonal anti-CD25 antibody as a novel therapeutic option in HIV-associated psoriatic erythroderma. 2002;47:635-6 (Letter)
Dicken CH (*see* Allison et al). 2002;47:386-9
Dittberner T, Schöttler E, Ranze O, Greinacher A, Knobler R. Heparin-induced thrombocytopenia: a complication in extracorporeal photochemotherapy (photopheresis). 2002;47:452-3 (Letter)
Dittmar HC (*see* Szeimies et al). 2002;47:258-62 (Therapy)
Doi R (*see* Uetsu et al). 2002;47:881-4 (Therapy)
Doney KC (*see* Masood et al). 2002;47:140-5 (Brief rep.)
Dong H (*see* Kaddu et al). 2002;47:423-8 (Dermatopathology)
Dotson D (*see* Maloney et al). 2002;47:614-6 (Case rep.)
Dow EC (*see* Engineer et al). 2002;47:943-6 (Case rep.)
Drage LA, Davis MDP, de Castro F, Van Keulen V, Weiss EA, Gleich GJ, Leiferman KM. Evidence for pathogenic involvement of eosinophils and neutrophils in Churg-Strauss syndrome. 2002;47:209-16
Dubertret L (*see* Poszepczynska-Guigné et al). 2002;47:47-52
Duncan R (*see* Shah et al). 2002;47:241-4
Dunlap FE (*see* Olsen et al). 2002;47:377-85
Duong DJ, Moxley RT III, Kellman RM, Pincus SH, Gaspari AA. Thalidomide therapy for cicatricial pemphigoid. 2002;47:S193-5 (Case rep.)
Dupin M (*see* Skowron et al). 2002;47:S187-8 (Case rep.)
Dupont É (*see* Sauder et al). 2002;47:535-41
Dupree NE (*see* Taylor et al). 2002;47:770-3 (Special report)
Duvic M (*see* Bodey et al). 2002;47:659-66
Duvic M (*see* Koay et al). 2002;47:608-10 (Case rep.)
Duvic M (*see* Maloney et al). 2002;47:969-70 (Letters: notes & comments)
Duvic M (*see* Talpur et al). 2002;47:672-84, 2002;47:685-91
Dytoc MT (*see* Grimes et al). 2002;47:789-91 (Brief rep.)

*E*

Eaglstein WH (*see* Kirsner et al). 2002;47:158 (Letter reply)
Eichenfield L (*see* Fleischer et al). 2002;47:562-70 (Therapy)
el-Azhary RA, Yiannias JA. Allergic contact dermatitis to epoxy resin in immersion oil for light microscopy. 2002;47:954-5 (Case rep.)
el-Azhary RA (*see* Allison et al). 2002;47:386-9
el-Azhary RA (*see* Bouwhuis et al). 2002;47:63-7
Elewski BE. Infliximab for the treatment of severe pustular psoriasis. 2002;47:796-7 (Letter: case notes)
Elewski BE (*see* Carucci et al). 2002;47:766-9 (From the Academy)
Elias PM (*see* Chamlin et al). 2002;47:198-208
Eliaszewicz M, Flahault A, Roujeau J-C, Fillet AM, Challine D, Mansouri S, Wolkenstein P, Aractingi S, Penso-Assathiany D, Maslo C, Bourgault-Villada I, Chosidow O, Caumes E. Prospective evaluation of risk factors of cutaneous drug reactions to sulfonamides in patients with AIDS. 2002;47:40-6
Ellis CN (*see* Krueger et al). 2002;47:821-33
Elpern DJ. The care of patients. 2002;47:317-8 (Beneath the surface)
Elston DM, Ahmed DDF, Watsky KL, Schwarzenberger K. Hand dermatitis. 2002;47:291-9 (Periodic synopsis)
Elston DM. Medical pearl: fluorescence microscopy of hematoxylin-eosin–stained sections. 2002;47:777-9 (Pearls)
Elston DM (*see* Ritter et al). 2002;47:323-4 (Letter)
Elston DM (*see* Smith et al). 2002;47:749-54 (Dermatopathology)
Emanuel EJ (*see* Weiss et al). 2002;47:512-7
Emmerich J (*see* Poszepczynska-Guigné et al). 2002;47:47-52
Emtestam L (*see* Lapins et al). 2002;47:280-5 (Laser surgery)
Engineer L, Dow EC, Braverman IM, Ahmed AR. Epidermolysis bullosa acquisita and multiple myeloma. 2002;47:943-6 (Case rep.)
Erös N, Károlyi Z, Kovács A, Takács I, Radványi G, Kelényi G. Intravascular B-cell lymphoma. 2002;47:S260-2 (Case rep.)
European Organization for Research and Treatment of Cancer (EORTC) Cutaneous Lymphoma Project Group (*see* Jones et al). 2002;47:364-70

*F*

Faisant M (*see* Skowron et al). 2002;47:S187-8 (Case rep.)
Falabella AF (*see* Kirsner et al). 2002;47:158 (Letter reply)
Fallon-Friedlander S (*see* Carucci et al). 2002;47:766-9 (From the Academy)

Fantini F, Kovacs E, Scarabello A. Unilateral transient acantholytic dermatosis (Grover's disease) along Blaschko lines. 2002;47:319-20 (Letter)
Fefer A (*see* Masood et al). 2002;47:140-5 (Brief rep.)
Feldman SR (*see* Sugarman et al). 2002;47:217-23
Fillet AM (*see* Eliaszewicz et al). 2002;47:40-6
Fisher SG (*see* Pipitone et al). 2002;47:118-23 (Current issues)
Fisler RE, Liang MG, Fuhlbrigge RC, Yalcindag A, Sundel RP. Aggressive management of juvenile dermatomyositis results in improved outcome and decreased incidence of calcinosis. 2002;47:505-11
Fivenson DP (*see* Gathers et al). 2002;47:191-7
Flahault A (*see* Eliaszewicz et al). 2002;47:40-6
Fleischer AB Jr., Ling M, Eichenfield L, Satoi Y, Jaracz E, Rico MJ, Maher RM. Tacrolimus ointment for the treatment of atopic dermatitis is not associated with an increase in cutaneous infections. 2002;47:562-70 (Therapy)
Fleischer AB Jr. (*see* Sugarman et al). 2002;47:217-23
Fleischer AB (*see* Sangueza et al). 2002;47:251-7
Fleming-Torrinha J (*see* Correia et al). 2002;47:58-62
Flowers FP (*see* Zampogna et al). 2002;47:S229-35 (Case rep.)
Flowers MED (*see* Masood et al). 2002;47:140-5 (Brief rep.)
Fluhr JW (*see* Chamlin et al). 2002;47:198-208
Fowler AJ (*see* Chamlin et al). 2002;47:198-208
French LE (*see* Shapiro et al). 2002;47:956-61 (Case rep.)
Freudenthal AR, Barbagallo JS. Ghost anemone dermatitis. 2002;47:722-6
Fricke O (*see* Hinrichs et al). 2002;47:S268-9 (Case rep.)
Fried RG (*see* Shapiro et al). 2002;47:623-8 (Brief rep.)
Frieden IJ (*see* Chamlin et al). 2002;47:198-208
Friedli A, Saurat J-H, Harms M. Serpiginous ganglion cyst of the foot mimicking cutaneous larva migrans. 2002;47:S266-7 (Case rep.)
Fuhlbrigge RC (*see* Fisler et al). 2002;47:505-11
Fujii K (*see* Uetsu et al). 2002;47:881-4 (Therapy)
Fumo G (*see* Aste et al). 2002;47:146-7 (Brief rep.)
Fung MA. The clinical and histopathologic spectrum of "dermal hypersensitivity reactions," a nonspecific histologic diagnosis that is not very useful in clinical practice, and the concept of a "dermal hypersensitivity reaction pattern." 2002;47:898-907 (Dermatopathology)
Funicella T (*see* Olsen et al). 2002;47:377-85

*G*

Gallardo F (*see* Pujol et al). 2002;47:S168-71 (Case rep.)
Gallo R, Ciambellotti A, Cozzani E, Parodi A. Peristomal allergic contact dermatitis caused by Stomahesive paste: an additional case. 2002;47:633 (Letter)
Gallo RL (*see* Conner et al). 2002;47:347-50
García PB (*see* Álvarez-Cuesta et al). 2002;47:S257-9 (Case rep.)
Garcia-Bravo B (*see* Matura et al). 2002;47:709-14
Gaspari AA (*see* Cowen et al). 2002;47:S240-8 (Case rep.)
Gaspari AA (*see* Duong et al). 2002;47:S193-5 (Case rep.)
Gathers RC, Scherschun L, Malick F, Fivenson DP, Lim HW. Narrowband UVB phototherapy for early stage mycosis fungoides. 2002;47:191-7
Geisse JK, Rich P, Pandya A, Gross K, Andres K, Ginkel A, Owens M. Imiquimod 5% cream for the treatment of superficial basal cell carcinoma: a double-blind, randomized, vehicle-controlled study. 2002;47:390-8
Gelbard SN, Tripp JM, Marghoob AA, Kopf AW, Koenig KL, Kim JY, Bart RS. Management of Spitz nevi: a survey of dermatologists in the United States. 2002;47:224-30
George R (*see* Ritter et al). 2002;47:323-4 (Letter)
Geraminejad P, Memar O, Aronson I, Rady PL, Hengge U, Tyring SK. Kaposi's sarcoma and other manifestations of human herpesvirus 8. 2002;47:641-55 (CME article)
Gerbig AW. Treating keratosis pilaris. 2002;47:457 (Letter)
Gerwels JW (*see* Agarwal-Antal et al). 2002;47:743-8 (Derm. surgery)
Ghetti E (*see* Tosti et al). 2002;47:73-6 (Therapy)
Gibson LE (*see* Bouwhuis et al). 2002;47:63-7
Gibson LE (*see* Brown et al). 2002;47:856-62
Gibson LE (*see* Dahl et al). 2002;47:489-92
Ginkel A (*see* Geisse et al). 2002;47:390-8
Glaser DA (*see* Spray and Glaser). 2002;47:S177-9 (Case rep.)
Gleich GJ (*see* Drage et al). 2002;47:209-16
Gloster HM. The use of second-intention healing for partial-thickness Mohs defects involving the vermilion and/or mucosal surfaces of the lip. 2002;47:893-7 (Derm. surgery)
Gloster HM (*see* Adams and Gloster). 2002;47:307-9 (Pearls)
Glusac EJ (*see* Willey et al). 2002;47:453 (Letter)
Gmyrek R (*see* Ward et al). 2002;47:493-6
Gold R (*see* Pérez et al). 2002;47:21-7
Goldberg J (*see* Boucher et al). 2002;47:632-3 (Letter)
Gonzalez S, Tannous Z. Real-time in vivo confocal reflectance microscopy of basal cell carcinoma. 2002;47:869-74
Goodman SN (*see* Lehmann et al). 2002;47:231-40
Goossens A (*see* Matura et al). 2002;47:709-14
Goraya JS, Kaur S. Acute infantile hemorrhagic edema and Henoch-Schönlein purpura: is IgA the missing link? 2002;47:801 (Letter: notes & comments)
Gorman A (*see* Morrison et al). 2002;47:617-20 (Brief rep.)
Gottlieb AB, Lebwohl M, Totoritis MC, Abdulghani AA, Shuey SR, Romano P, Chaudhari U, Allen RS, Lizambri RG. Clinical and histologic response to single-dose treatment of moderate to severe psoriasis with an anti-CD80 monoclonal antibody. 2002;47:692-700
Goyal S, Brinster NK, Goyal S. Ki-1(CD30) positive anaplastic large cell lymphoma: primary nodal disease relapsing as erythroderma. 2002;47:S201-4 (Case rep.). Correction 2002;47:972
Goyal S (*see* Goyal et al). 2002;47:S201-4 (Case rep.). Correction 2002;47:972
Graham BS (*see* Ross et al). 2002;47:263-70 (Therapy)
Grandi G (*see* Pizzichetta et al). 2002;47:137-9 (Case rep.)
Grange F, Wechsler J, Guillaume J-C, Tortel J, Tortel M-C, Audhuy B, Jaulhac B, Cerroni L. *Borrelia burgdorferi*-associated lymphocytoma cutis simulating a primary cutaneous large B-cell lymphoma. 2002;47:530-4
Grant-Kels JM (*see* Chartier et al). 2002;47:809-18 (CME article)
Greer KE (*see* McClelland et al). 2002;47:962-4 (Case rep.)
Greinacher A (*see* Dittberner et al). 2002;47:452-3 (Letter)
Griffin JE (*see* Sangueza et al). 2002;47:251-7
Griffin TD (*see* Benedetto et al). 2002;47:727-32
Grimes PE, Soriano T, Dytoc MT. Topical tacrolimus for repigmentation of vitiligo. 2002;47:789-91 (Brief rep.)
Gross K (*see* Geisse et al). 2002;47:390-8
Grossman ME (*see* Ward et al). 2002;47:493-6
Grossman N (*see* Halevy et al). 2002;47:311-3 (Brief rep.)
Guill CK (*see* Orengo et al). 2002;47:S225-8 (Case rep.)
Guillaume J-C (*see* Grange et al). 2002;47:530-4
Guin JD. Eyelid dermatitis: experience in 203 cases. 2002;47:755-65 (Clin. rev.)
Gulliver WP (*see* Krueger et al). 2002;47:821-33
Gupta AK (*see* Burkhart et al). 2002;47:629-31 (Commentary)

*H*

Haas N, Henz BM, Weigel H. Congenital miliaria crystallina. 2002;47:S270-2 (Case rep.)
Hachem R (*see* Bodey et al). 2002;47:659-66
Hainau B (*see* Alfadley et al). 2002;47:S275-8 (Case rep.)

Halevy S, Cohen AD, Lunenfeld E, Grossman N. Autoimmune progesterone dermatitis manifested as erythema annulare centrifugum: confirmation of progesterone sensitivity by in vitro interferon-γ release. 2002;47:311-3 (Brief rep.)
Handl-Zeller L (*see* Jones et al). 2002;47:364-70
Happle R (*see* Tosti et al). 2002;47:636-7 (Letter)
Harms M (*see* Friedli et al). 2002;47:S266-7 (Case rep.)
Harris A (*see* Millard et al). 2002;47:801-2 (Letter reply: notes & comments)
Hashimoto T (*see* Beutner et al). 2002;47:841-51
Hashimoto T (*see* Nitta et al). 2002;47:S283-6 (Case rep.)
Hashimoto T (*see* Shimanovich et al). 2002;47:780-4 (Case rep.)
Hassenein AM (*see* Zampogna et al). 2002;47:S229-35 (Case rep.)
He J (*see* Shah et al). 2002;47:241-4
Hegarty AM, Hodgson TA, Lewsey JD, Porter SR. Fluticasone propionate spray and betamethasone sodium phosphate mouthrinse: a randomized crossover study for the treatment of symptomatic oral lichen planus. 2002;47:271-9 (Therapy)
Heilman ER (*see* Brown and Heilman). 2002;47:S79-280 (Case rep.)
Heintz P, Kamino H, Zisblatt M, Orlow SJ (*see* Zaenglein et al). 2002;47:441-4 (Case rep.)
Helm TN (*see* Beutner et al). 2002;47:841-51
Hempel M (*see* Szeimies et al). 2002;47:258-62 (Therapy)
Hengge U (*see* Geraminejad et al). 2002;47:641-55 (CME article)
Henn W, Zlotogorski A, Lam H, Martinez-Mir A, Zaun H, Christiano AM. Atrichia with papular lesions resulting from compound heterozygous mutations in the hairless gene: a lesson for differential diagnosis of alopecia universalis. 2002;47:519-23
Henz BM (*see* Haas et al). 2002;47:S270-2 (Case rep.)
Hernández-Martin A, Pinedo F, Pérez-Lescure J. Pustular idiopathic recurrent palmoplantar hidradenitis: an unusual clinical feature. 2002;47:S263-5 (Case rep.)
Herrera-Goepfert R (*see* Magaña and Herrera-Goepfert). 2002;47:454 (Letter)
Hert M (*see* Baykal et al). 2002;47:875-80
Heymann WR (*see* Boucher et al). 2002;47:632-3 (Letter)
Hinrichs R, Fricke O, Tütüncü R, Hunzelmann N, Krieg T, Scharffetter-Kochanek K. A patient with hyper-IgE syndrome: a multisystem disorder. 2002;47:S268-9 (Case rep.)
Hodgson TA (*see* Hegarty et al). 2002;47:271-9 (Therapy)
Hogewoning CJA (*see* Bleeker et al). 2002;47:351-7
Hohenberg G (*see* Jones et al). 2002;47:364-70
Holloway V (*see* Lehmann et al). 2002;47:231-40
Holmkvist KA (*see* Dahl et al). 2002;47:489-92
Hordinsky M (*see* Leyden et al). 2002;47:399-409 (Therapy)
Hordinsky M (*see* Olsen et al). 2002;47:795 (Commentary)
Horio T (*see* Uetsu et al). 2002;47:881-4 (Therapy)
Hoss DM (*see* Chartier et al). 2002;47:809-18 (CME article)
Housman TS, Jorizzo JL. Anecdotal reports of 3 cases illustrating a spectrum of resistant common warts treated with cryotherapy followed by topical imiquimod and salicylic acid. 2002;47:S217-20 (Case rep.)
Hsia SL (*see* Shah et al). 2002;47:241-4
Hughes R, Taylor JS. Surveillance of allergic contact dermatitis: epoxy resin and microscopic immersion oil. 2002;47:965-6 (Commentary)
Hui JI, Linden KG, Barr RJ. Desmoplastic malignant melanoma of the lip: a report of 6 cases and review of the literature. 2002;47:863-8
Hunzelmann N (*see* Hinrichs et al). 2002;47:S268-9 (Case rep.)
Hwang LY (*see* Bogle et al). 2002;47:448-51 (Case rep.)

*I*

Ihn H (*see* Kubo et al). 2002;47:148-51 (Brief rep.)
Iijima M (*see* Nakada et al). 2002;47:S183-6 (Case rep.)
Ikejima A (*see* Suga et al). 2002;47:435-8 (Pearls)
Ioffreda MD (*see* Youker et al). 2002;47:322-3 (Letter)
Ishibashi A (*see* Akagi et al). 2002;47:S189-92 (Case rep.)
Ishii M (*see* Kato et al). 2002;47:S287-8 (Case rep.)
Izquierdo MJ (*see* Pérez et al). 2002;47:21-7

*J*

Jablonska S (*see* Beutner et al). 2002;47:841-51
Jaén P (*see* Ruiz-Rodriguez et al). 2002;47:740-2 (Therapy)
Jaracz E (*see* Fleischer et al). 2002;47:562-70 (Therapy)
Jaulhac B (*see* Grange et al). 2002;47:530-4
Jaworsky C (*see* Jih et al). 2002;47:908-13 (Clin. rev.)
Jiao D (*see* Bystryn et al). 2002;47:358-63
Jih DM, Salcedo SL, Jaworsky C. Benign cephalic histiocytosis: a case report and review. 2002;47:908-13 (Clin. rev.)
Jih MH (*see* Kimyai-Asadi and Jih). 2002;47:622-3 (Brief rep.)
Jih MH (*see* Kimyai-Asadi et al). 2002;47:327-43 (CME article)
Jones C (*see* Zackheim et al). 2002;47:155-7 (Letter)
Jones D (*see* Koay et al). 2002;47:608-10 (Case rep.)
Jones GW, Kacinski BM, Wilson LD, Willemze R, Spittle M, Hohenberg G, Handl-Zeller L, Trautinger F, Knobler R, EORTC Cutaneous Lymphoma Project Group. Total skin electron radiation in the management of mycosis fungoides: consensus of the European Organization for Research and Treatment of Cancer (EORTC) Cutaneous Lymphoma Project Group. 2002;47:364-70
Jonkman MF (*see* Vodegal et al). 2002;47:919-25 (Review)
Jorizzo JL (*see* Housman and Jorizzo). 2002;47:S217-20 (Case rep.)
Jorizzo JL (*see* Sangueza et al). 2002;47:251-7
Junkins-Hopkins JM (*see* Shapiro et al). 2002;47:623-8 (Brief rep.), 2002;47:956-61 (Case rep.)

*K*

Kacinski BM (*see* Jones et al). 2002;47:364-70
Kaddu S, Dong H, Mayer G, Kerl H, Cerroni L. Warty dyskeratoma—"follicular dyskeratoma": analysis of clinicopathologic features of a distinctive follicular adnexal neoplasm. 2002;47:423-8 (Dermatopathology)
Kadunc BV, di Chiacchio N, Almeida ART. Tulle or veil fabric: a versatile option for dressings. 2002;47:129-31 (Pearls)
Kamino H (*see* Zaenglein et al). 2002;47:441-4 (Case rep.)
Kanekura T, Maruyama I, Kanzaki T. Granulocyte and monocyte adsorption apheresis for pyoderma gangrenosum. 2002;47:320-1 (Letter)
Kanitakis J (*see* Skowrón et al). 2002;47:S187-8 (Case rep.)
Kanwar AJ (*see* Thami et al). 2002;47:602-3 (Pearls)
Kanzaki T (*see* Kanekura et al). 2002;47:320-1 (Letter)
Kao J (*see* Chamlin et al). 2002;47:198-208
Karlberg A-T (*see* Matura et al). 2002;47:709-14
Károlyi Z (*see* Erös et al). 2002;47:S260-2 (Case rep.)
Karrer S (*see* Szeimies et al). 2002;47:258-62 (Therapy)
Kashani-Sabet M (*see* Zackheim et al). 2002;47:155-7 (Letter)
Kato A, Kono T, Ishii M, Wakasa K, Taniguchi S. Spontaneous clearance of psoriasis during the course of Kikuchi-Fujimoto disease. 2002;47:S287-8 (Case rep.)
Kaufman J (*see* Berman and Kaufman). 2002;47:S209-11 (Case rep.)
Kaur S (*see* Goraya and Kaur). 2002;47:801 (Letter: notes & comments)
Kaur S (*see* Thami et al). 2002;47:602-3 (Pearls)
Kawada A (*see* Akagi et al). 2002;47:S189-92 (Case rep.)
Kawamura C (*see* Nitta et al). 2002;47:S283-6 (Case rep.)
Kayal JD, McCall CO. Sporotrichoid cutaneous *Mycobacterium avium* complex infection. 2002;47:S249-50 (Case rep.)
Kelényi G (*see* Erös et al). 2002;47:S260-2 (Case rep.)
Kellman RM (*see* Duong et al). 2002;47:S193-5 (Case rep.)

Kelly AP (*see* Taylor et al). 2002;47:770-3 (Special report)
Kerdel F (*see* Romagosa et al). 2002;47:970-2 (Letters: notes & comments)
Kerl H (*see* Kaddu et al). 2002;47:423-8 (Dermatopathology)
Kernland K (*see* Szeimies et al). 2002;47:258-62 (Therapy)
Khandpur S, Reddy BS. Itraconazole therapy for white piedra affecting scalp hair. 2002;47:415-8 (Therapy)
Kim JY (*see* Gelbard et al). 2002;47:224-30
Kimball AB, Turner MLC. Mycosis fungoides and serology for human T-cell lymphotropic virus, type 1. 2002;47:159 (Letter)
Kimball AB (*see* Chiu et al). 2002;47:633-5 (Letter)
Kimball AB (*see* Taylor et al). 2002;47:770-3 (Special report)
Kimball AB (*see* Weiss et al). 2002;47:512-7
Kimyai-Asadi A, Jih MH. Indirect hyperbilirubinemia caused by cyclosporine. 2002;47:622-3 (Brief rep.)
Kimyai-Asadi A, Kotcher LB, Jih MH. The molecular basis of hereditary palmoplantar keratodermas. 2002;47:327-43 (CME article)
King LE Jr (*see* Boyd and King). 2002;47:967-8 (Letters: case notes)
Kingsley S. Topical anesthesia: clarification. 2002;47:158-9 (Letter)
Kirby B, Owen CM, Blewitt RW, Yates VM. Cutaneous T-cell lymphoma developing in a patient on cyclosporin therapy. 2002;47:S165-7 (Case rep.)
Kirsner RS, Valencia I, Falabella AF, Eaglstein WH. About the pathophysiology of venous leg ulcers. 2002;47:158 (Letter reply)
Kirsner RS (*see* Sullivan and Kirsner). 2002;47:439-40 (Pearls)
Knobler R (*see* Dittberner et al). 2002;47:452-3 (Letter)
Knobler R (*see* Jones et al). 2002;47:364-70
Koay J, Jones D, Duvic M. Cold urticaria in a patient with mycosis fungoides. 2002;47:608-10 (Case rep.)
Koenig KL (*see* Gelbard et al). 2002;47:224-30
Kohler S (*see* Chiu et al). 2002;47:633-5 (Letter)
Kono T (*see* Kato et al). 2002;47:S287-8 (Case rep.)
Kontoyiannis D (*see* Bodey et al). 2002;47:659-66
Koo H (*see* Zackheim et al). 2002;47:155-7 (Letter)
Koperski JA (*see* Olsen et al). 2002;47:377-85
Kopf AW (*see* Gelbard et al). 2002;47:224-30
Korman NJ (*see* Beutner et al). 2002;47:841-51
Kotcher LB (*see* Kimyai-Asadi et al). 2002;47:327-43 (CME article)
Kovács A (*see* Erös et al) 2002;47:S260-2 (Case rep.)
Kovacs E (*see* Fantini et al). 2002;47:319-20 (Letter)
Kratochvil FJ III (*see* Morrison et al). 2002;47:617-20 (Brief rep.)
Krieg T (*see* Hinrichs et al). 2002;47:S268-9 (Case rep.)
Kromminga A (*see* Schmidt et al). 2002;47:133-6 (Case rep.)
Krueger GG, Callas KP. Treatment of psoriasis with 6-thioguanine and hepatic venoocclusive disease. 2002;47:972 (Letters: notes & comments) (Reply)
Krueger GG, Papp KA, Stough DB, Loven KH, Gulliver WP, Ellis CN, Alefacept Clinical Study Group. A randomized, double-blind, placebo-controlled phase III study evaluating efficacy and tolerability of 2 courses of alefacept in patients with chronic plaque psoriasis. 2002;47:821-33
Kubo M, Ihn H, Asan Y, Yamane K, Yazawa N, Tamaki K. Prevalence of 52-kd and 60-kd Ro/SS-A autoantibodies in Japanese patients with polymyositis/dermatomyositis. 2002;47:148-51 (Brief rep.)
Kumar B (*see* Saraswat and Kumar). 2002;47:799-800 (Letter: notes & comments)
Kutzner H (*see* Pérez et al). 2002;47:21-7
Kutzner H (*see* Requena et al). 2002;47:371-6

*L*

Lam H (*see* Henn et al). 2002;47:519-23
Lamba S (*see* Persaud et al). 2002;47:553-6
Lapins J, Sartorius K, Emtestam L. Scanner-assisted carbon dioxide laser surgery: a retrospective follow-up study of patients with hidradenitis suppurativa. 2002;47:280-5 (Laser surgery)
Larsen FG (*see* Weismann et al). 2002;47:304-6 (Pearls)
Lask G (*see* Lowe et al). 2002;47:834-40
Lawrence N, Coleman WP III. Liposuction. 2002;47:105-8 (Periodic synopsis)
Lawrence RC (*see* Taylor et al). 2002;47:770-3 (Special report)
Lazarus GS. Brian Jegasothy, 1943-2001. 2002;47:973-4 (In memoriam)
Lazarus MC (*see* Shah et al). 2002;47:241-4
LeBoit PE (*see* Zackheim et al). 2002;47:155-7 (Letter)
Lebwohl M (*see* Gottlieb et al). 2002;47:692-700
Lebwohl M (*see* Persaud and Lebwohl). 2002;47:S236-9 (Case rep.)
Lebwohl MG (*see* Persaud et al). 2002;47:553-6
Lee HJ, Chung KY. Erosive adenomatosis of the nipple: conservation of the nipple by Mohs micrographic surgery. 2002;47:578-80 (Derm. surgery)
Lehmann HP, Robinson KA, Andrews JS, Holloway V, Goodman SN. Acne therapy: a methodologic review. 2002;47:231-40
Lehrer MS (*see* Shapiro et al). 2002;47:956-61 (Case rep.)
Leiferman KM (*see* Drage et al). 2002;47:209-16
Lerner AB. A footnote on the origin of fluorosteroids. 2002;47:128 (History)
Levine N (*see* Salasche et al). 2002;47:571-7 (Therapy)
Lewsey JD (*see* Hegarty et al). 2002;47:271-9 (Therapy)
Leyden J, Shalita A, Hordinsky M, Swinyer L, Stanczyk FZ, Weber M. Efficacy of a low-dose oral contraceptive containing 20 μg of ethinyl estradiol and 100 μg of levonorgestrel for the treatment of moderate acne: a randomized, placebo-controlled trial. 2002;47:399-409 (Therapy)
Liang MG (*see* Fisler et al). 2002;47:505-11
Libow LF (*see* Smith et al). 2002;47:749-54 (Dermatopathology)
Liewehr DJ (*see* Weiss et al). 2002;47:512-7
Lifshitz O (*see* Talpur et al). 2002;47:685-91
Lim HW (*see* Gathers et al). 2002;47:191-7
Lindberg M (*see* Swartling et al). 2002;47:667-71
Ling M (*see* Fleischer et al). 2002;47:562-70 (Therapy)
Lischetzki G (*see* Neisius et al). 2002;47:28-32
Lizambri RG (*see* Gottlieb et al). 2002;47:692-700
Llistosella E (*see* Pujol et al). 2002;47:S168-71 (Case rep.)
Logsetty S (*see* Salopek et al). 2002;47:785-8 (Case rep.)
Lorentzen HF (*see* Weismann et al). 2002;47:304-6 (Pearls)
Lou W (*see* Persaud et al). 2002;47:553-6
Loven KH (*see* Krueger et al). 2002;47:821-33
Lowe NJ, Lask G, Yamauchi P, Moore D. Bilateral, double-blind, randomized comparison of 3 doses of botulinum toxin type A and placebo in patients with crow's feet. 2002;47:834-40
Lunenfeld E (*see* Halevy et al). 2002;47:311-3 (Brief rep.)
Lushniak BD (*see* Carucci et al). 2002;47:766-9 (From the Academy)
Lust JA (*see* Brown et al). 2002;47:856-62

*M*

MacDonald D (*see* Millard et al). 2002;47:801-2 (Letter reply: notes & comments)
Magaña M, Herrera-Goepfert R. Friction hypermelanosis: other variants. 2002;47:454 (Letter)
Magnusson K (*see* Matura et al). 2002;47:709-14
Mahendran R, White SI, Clark AH, Sheehan-Dare RA. Response of childhood tufted angioma to the pulsed-dye laser. 2002;47:620-2 (Brief rep.)
Maher RM (*see* Fleischer et al). 2002;47:562-70 (Therapy)
Maino KL (*see* Boyer et al). 2002;47:938-9 (Pearls)
Malanin K. About the pathophysiology of venous leg ulceration. 2002;47:157-8 (Letter)

Malick F (*see* Gathers et al). 2002;47:191-7
Maloney DM, Maloney JE, Dotson D, Popov VL, Sanchez RL. Cutaneous leishmaniasis: Texas case diagnosed by electron microscopy. 2002;47:614-6 (Case rep.)
Maloney DM, Schmidt JD, Duvic M. Alitretinoin gel to treat pyogenic granuloma. 2002;47:969-70 (Letters: notes & comments)
Maloney JE (*see* Maloney et al). 2002;47:614-6 (Case rep.)
Mansouri S (*see* Eliaszewicz et al). 2002;47:40-6
Marghoob AA (*see* Gelbard et al). 2002;47:224-30
Marks JG Jr. (*see* Youker et al). 2002;47:322-3 (Letter)
Martinez-Mir A (*see* Henn et al). 2002;47:519-23
Maruyama I (*see* Kanekura et al). 2002;47:320-1 (Letter)
Maslo C (*see* Eliaszewicz et al). 2002;47:40-6
Masood N, Russell KJ, Olerud JE, Sabath DE, Sale GE, Doney KC, Flowers MED, Fefer A, Thompson JA. Induction of complete remission of advanced stage mycosis fungoides by allogeneic hematopoietic stem cell transplantation. 2002;47:140-5 (Brief rep.)
Matsuba S (*see* Suga et al). 2002;47:435-8 (Pearls)
Matura M, Goossens A, Bordalo O, Garcia-Bravo B, Magnusson K, Wrangsjö K, Karlberg A-T. Oxidized citrus oil (*R*-limonene): a frequent skin sensitizer in Europe. 2002;47:709-14
Mayer G (*see* Kaddu et al). 2002;47:423-8 (Dermatopathology)
Mays S (*see* Bodey et al). 2002;47:659-66
McCall CO, Chen SC. Squamous cell carcinoma of the legs in African Americans. 2002;47:524-9
McCall CO (*see* Kayal and McCall). 2002;47:S249-50 (Case rep.)
McCalmont TH (*see* Zackheim and McCalmont). 2002;47:914-8 (Clin. rev.)
McCalmont TH (*see* Zackheim et al). 2002;47:155-7 (Letter)
McClelland M, VanLoock JS, Patterson JW, Greer KE. Radiation-induced morphea occurring after fluoroscopy. 2002;47:962-4 (Case rep.)
McCrary M (*see* Brown et al). 2002;47:581-99 (Clin. rev.). Correction 2002;47:972
McEvoy MT (*see* Bouwhuis et al). 2002;47:63-7
McGlone F (*see* Rukwied et al). 2002;47:245-50
McGovern TW (*see* Carucci et al). 2002;47:766-9 (From the Academy)
McGuire J (*see* Chiu et al). 2002;47:633-5 (Letter)
Meehan SA (*see* Zaenglein et al). 2002;47:445-7 (Case rep.)
Meffert H (*see* Szeimies et al). 2002;47:258-62 (Therapy)
Mehta RK (*see* Woodrow et al). 2002;47:600-1 (Pearls)
Meigel W (*see* Pabsch et al). 2002;47:557-61 (Therapy)
Meijer CJLM (*see* Bleeker et al). 2002;47:351-7
Memar O (*see* Geraminejad et al). 2002;47:641-55 (CME article)
Mengesha YM (*see* Sangueza et al). 2002;47:251-7
Mentzel T (*see* Requena et al). 2002;47:371-6
Mercurio MG (*see* Cowen et al). 2002;47:S240-8 (Case rep.)
Messenger AG (*see* Shum et al). 2002;47:733-9
Mihm MC Jr (*see* Richardson et al). 2002;47:77-90 (Clin. rev.)
Millard TP, Harris A, MacDonald D. Acute infantile hemorrhagic edema and Henoch-Schönlein purpura: is IgA the missing link?. 2002;47:801-2 (Letter reply: notes & comments)
Miller DM (*see* Ahmed et al). 2002;47:S196-200 (Case rep.)
Mirakhur B (*see* Boucher et al). 2002;47:632-3 (Letter)
Misad C (*see* Pérez et al). 2002;47:21-7
Mofid MZ (*see* DeAmicis et al). 2002;47:S273-4 (Case rep.)
Moore D (*see* Lowe et al). 2002;47:834-40
Mørk C, Wahl A. Improved quality of life among patients with psoriasis after supervised climate therapy at the Canary Islands. 2002;47:314-6 (Brief rep.)
Morris SE (*see* Tristani-Firouzi et al). 2002;47:548-52
Morrison L, Kratochvil FJ III, Gorman A. An open trial of topical tacrolimus for erosive oral lichen planus. 2002;47:617-20 (Brief rep.)
Morrison L (*see* Salasche et al). 2002;47:571-7 (Therapy)
Moxley RT III (*see* Duong et al). 2002;47:S193-5 (Case rep.)
Mrowietz U (*see* Dichmann et al). 2002;47:635-6 (Letter)
Mulder M (*see* Szeimies et al). 2002;47:258-62 (Therapy)
Myers LM (*see* Omura et al). 2002;47:950-3 (Case rep.)

*N*

Naimer SA, Trattner A. Friction hypermelanosis: other variants. 2002;47:454-5 (Letter reply)
Naji A (*see* Sharquie et al). 2002;47:159-60 (Letter reply)
Nakada T, Sueki H, Iijima M. Disseminated pagetoid reticulosis (Ketron-Goodman disease): six-year follow-up. 2002;47:S183-6 (Case rep.)
Natow S (*see* Bystryn et al). 2002;47:358-63
Naver H (*see* Swartling et al). 2002;47:667-71
Neisius U, Olsson R, Rukwied R, Lischetzki G, Schmelz M. Prostaglandin $E_2$ induces vasodilation and pruritus, but no protein extravasation in atopic dermatitis and controls. 2002;47:28-32
Nern K (*see* Conner et al). 2002;47:347-50
Nguyen FQ (*see* Weinstock et al). 2002;47:68-72
Nichols K, PUVA Follow Up Study (*see* Stern et al). 2002;47:33-9
Nie Z (*see* Shimanovich et al). 2002;47:780-4 (Case rep.)
Nitta Y, Kawamura C, Hashimoto T. Vesiculobullous systemic lupus erythematosus: a case with circulating IgG and IgA autoantibodies to type VII collagen. 2002;47:S283-6 (Case rep.)
Nomdedeu JF (*see* Pujol et al). 2002;47:S168-71 (Case rep.)
Norgauer J (*see* Dichmann et al). 2002;47:635-6 (Letter)
Norton SA (*see* Carucci et al). 2002;47:766-9 (From the Academy)
Norton SA (*see* Schwartz and Norton). 2002;47:774-5 (Special report)
Nousari HC (*see* DeAmicis et al). 2002;47:S273-4 (Case rep.)

*O*

Oclassen G. Charles A. Oclassen, 1907-2001. 2002;47:975 (In memoriam)
O'Connor MI (*see* Dahl et al). 2002;47:489-92
Ogawa H (*see* Suga et al). 2002;47:435-8 (Pearls)
O'Grady T (*see* Conner et al). 2002;47:347-50
Okamoto H (*see* Uetsu et al). 2002;47:881-4 (Therapy)
Olerud JE (*see* Masood et al). 2002;47:140-5 (Brief rep.)
Olsen EA, Dunlap FE, Funicella T, Koperski JA, Swinehart JM, Tschen EH, Trancik RJ. A randomized clinical trial of 5% topical minoxidil versus 2% topical minoxidil and placebo in the treatment of androgenetic alopecia in men. 2002;47:377-85
Olsen EA, Hordinsky M, Roberts JL, Whiting DA, Dermatologic Consortium for Women's Health. Female pattern hair loss. 2002;47:795 (Commentary)
Olsen EA (*see* Tosti et al). 2002;47:636-7 (Letter)
Olsson R (*see* Neisius et al). 2002;47:28-32
Omura NE, Collison DW, Perry AE, Myers LM. Sebaceous carcinoma in children. 2002;47:950-3 (Case rep.)
Orcel B (*see* Poszepczynska-Guigné et al). 2002;47:47-52
Orengo I, Rosen T, Guill CK. Treatment of squamous cell carcinoma in situ of the penis with 5% imiquimod cream: a case report. 2002;47:S225-8 (Case rep.)
Orengo I (*see* Chen et al). 2002;47:940-1 (Pearls)
Orfanos CE (*see* Treudler et al). 2002;47:611-3 (Case rep.)
Orlow SJ (*see* Zaenglein et al). 2002;47:441-4 (Case rep.), 2002;47:445-7 (Case rep.)
Ostheimer KG (*see* Albert and Ostheimer). 2002;47:930-7 (History)
Otley CC (*see* Berg and Otley). 2002;47:1-17 (CME article)
Otley CC (*see* Charles et al). 2002;47:419-22 (Derm. surgery)
Otten J (*see* Da Raeve et al). 2002;47:S180-2 (Case rep.)
Overstreet KA (*see* Ross et al). 2002;47:263-70 (Therapy)
Owen CM (*see* Kirby et al). 2002;47:S165-7 (Case rep.)

Owens M (*see* Geisse et al). 2002;47:390-8

*P*

Pabsch H, Rütten A, von Stemm A, Meigel W, Sander CA, Schaller J. Treatment of childhood mycosis fungoides with topical PUVA. 2002;47:557-61 (Therapy)
Palacios S (*see* Piqué et al). 2002;47:S254-6 (Case rep.)
Paller AS (*see* Berlin et al). 2002;47:169-87 (CME article)
Pandya A (*see* Geisse et al). 2002;47:390-8
Papa CA, Ramsey ML, Tyler WB. Interdigital pilonidal sinus in dog groomer. 2002;47:S281-2 (Case rep.)
Papp KA (*see* Krueger et al). 2002;47:821-33
Parodi A (*see* Gallo et al). 2002;47:633 (Letter)
Pas HH (*see* Vodegal et al). 2002;47:919-25 (Review)
Patterson JW (*see* McClelland et al). 2002;47:962-4 (Case rep.)
Pelle MT, Pride HB, Tyler WB. Eccrine angiomatous hamartoma. 2002;47:429-35 (Clin. rev.)
Pelton S (*see* Beutner et al). 2002;47:841-51
Penso-Assathiany D (*see* Eliaszewicz et al). 2002;47:40-6
Pereira F, Carey W, Shibata H, Burnier MN Jr., Wang B. Multiple nevoid malignant melanomas in a patient with AIDS: the role of proliferating cell nuclear antigen in the diagnosis. 2002;47:S172-4 (Case rep.)
Pérez A, Rütten A, Gold R, Urbina F, Misad C, Izquierdo MJ, Requena C, Aliaga A, Kutzner H, Requena L. Circumscribed palmar or plantar hypokeratosis: a distinctive epidermal malformation of the palms or soles. 2002;47:21-7
Pérez-Lescure J (*see* Hernández-Martin et al). 2002;47:S263-5 (Case rep.)
Pérez-Oliva N (*see* Álvarez-Cuesta et al). 2002;47:S257-9 (Case rep.)
Perniciaro C (*see* Dahl et al). 2002;47:489-92
Perry AE (*see* Omura et al). 2002;47:950-3 (Case rep.)
Persaud A, Lebwohl M. Imiquimod cream in the treatment of actinic keratoses. 2002;47:S236-9 (Case rep.)
Persaud AN, Shamuelova E, Sherer D, Lou W, Singer G, Cervera C, Lamba S, Lebwohl MG. Clinical effect of imiquimod 5% cream in the treatment of actinic keratosis. 2002;47:553-6
Petersen MJ (*see* Tristani-Firouzi et al). 2002;47:548-52
Pincus SH (*see* Duong et al). 2002;47:S193-5 (Case rep.)
Pinedo F (*see* Hernández-Martin et al). 2002;47:S263-5 (Case rep.)
Pipitone M, Robinson JK, Camara C, Chittineni B, Fisher SG. Skin cancer awareness in suburban employees: a Hispanic perspective. 2002;47:118-23 (Current issues)
Piqué E, Palacios S, Santana Z. Leukocytoclastic vasculitis presenting as an erythema gyratum repens–like eruption on a patient with systemic lupus erythematosus. 2002;47:S254-6 (Case rep.)
Piraccini BM, Ghetti E, Colombo MD (*see* Tosti et al). 2002;47:73-6 (Therapy)
Piraccini BM (*see* Tosti et al). 2002;47:636-7 (Letter)
Pittelkow MR (*see* Bouwhuis et al). 2002;47:63-7
Pittelkow MR (*see* Brown et al). 2002;47:856-62
Pizzichetta MA, Argenziano G, Grandi G, de Giacomi C, Trevisan G, Soyer HP. Morphologic changes of a pigmented Spitz nevus assessed by dermoscopy. 2002;47:137-9 (Case rep.)
Plunkett RW (*see* Beutner et al). 2002;47:841-51
Pond GR (*see* Charles et al). 2002;47:419-22 (Derm. surgery)
Popov VL (*see* Maloney et al). 2002;47:614-6 (Case rep.)
Porter SR (*see* Hegarty et al). 2002;47:271-9 (Therapy)
Poszepczynska-Guigné E, Viguier M, Chosidow O, Orcel B, Emmerich J, Dubertret L. Paraneoplastic acral vascular syndrome: epidemiologic features, clinical manifestations, and disease sequelae. 2002;47:47-52
Price VH (*see* Tosti et al). 2002;47:636-7 (Letter)
Pride HB (*see* Pelle et al). 2002;47:429-35 (Clin. rev.)
Proebstle T (*see* Szeimies et al). 2002;47:258-62 (Therapy)
Pujol RM, Gallardo F, Llistosella E, Blanco A, Bernardó L, Bordes R, Nomdedeu JF, Servitje O. Invisible mycosis fungoides: a diagnostic challenge. 2002;47:S168-71 (Case rep.)
Pujol RM (*see* Brown et al). 2002;47:856-62
Pulkkinen L, Ringpfeil F, Uitto J. Progress in heritable skin diseases: molecular bases and clinical implications. 2002;47:91-104 (Review)
PUVA Follow Up Study (*see* Stern et al). 2002;47:33-9
Pye RJ (*see* Woodrow et al). 2002;47:600-1 (Pearls)

*R*

Raad I (*see* Bodey et al). 2002;47:659-66
Rabeni EJ, Cunningham NM. Effective treatment of Hailey-Hailey disease with topical tacrolimus. 2002;47:797-8 (Letter: case notes)
Radakovic-Fijan S (*see* Szeimies et al). 2002;47:258-62 (Therapy)
Radványi G. (*see* Erös et al). 2002;47:S260-2 (Case rep.)
Rady PL (*see* Geraminejad et al). 2002;47:641-55 (CME article)
Ramsey ML (*see* Papa et al). 2002;47:S281-2 (Case rep.)
Ranze O (*see* Dittberner et al). 2002;47:452-3 (Letter)
Rapini RP. Follicular differentiation in basal cell carcinoma and the trend to designate benign or questionable lesions as malignant. 2002;47:792-4 (Commentary)
Raya-Aguado C (*see* Álvarez-Cuesta et al). 2002;47:S257-9 (Case rep.)
Rebora A (*see* Tosti et al). 2002;47:636-7 (Letter)
Reddy BS (*see* Khandpur and Reddy). 2002;47:415-8 (Therapy)
Reed BR. Safety considerations in the treatment of dermatophytosis. 2002;47:455-6 (Letter)
Requena C (*see* Pérez et al). 2002;47:21-7
Requena L, Kutzner H, Mentzel T. Acquired elastotic hemangioma: a clinicopathologic variant of hemangioma. 2002;47:371-6
Requena L (*see* Pérez et al). 2002;47:21-7
Rich P (*see* Geisse et al). 2002;47:390-8
Richardson SK, Tannous ZS, Mihm MC Jr. Congenital and infantile melanoma: review of the literature and report of an uncommon variant, pigment-synthesizing melanoma. 2002;47:77-90 (Clin. rev.)
Rico MJ (*see* Fleischer et al). 2002;47:562-70 (Therapy)
Ringpfeil F (*see* Pulkkinen et al). 2002;47:91-104 (Review)
Risica PM (*see* Weinstock et al). 2002;47:68-72
Risse EKJ (*see* Bleeker et al). 2002;47:351-7
Ritter S, George R, Serwatka LM, Elston DM. Long-term suppression of chronic Sweet's syndrome with colchicine. 2002;47:323-4 (Letter)
Roberts JL (*see* Olsen et al). 2002;47:795 (Commentary)
Robinson JK (*see* Pipitone et al). 2002;47:118-23 (Current issues)
Robinson KA (*see* Lehmann et al). 2002;47:231-40
Romagosa R, Kerdel F, Shah N. Treatment of psoriasis with 6-thioguanine and hepatic venoocclusive disease. 2002;47:970-2 (Letters: notes & comments)
Romano P (*see* Gottleib et al). 2002;47:692-700
Rook AH (*see* Shapiro et al). 2002;47:623-8 (Brief rep.), 2002;47:956-61 (Case rep.)
Rose C (*see* Shimanovich et al). 2002;47:780-4 (Case rep.)
Roseeuw D (*see* Da Raeve et al). 2002;47:S180-2 (Case rep.)
Rosen T (*see* Orengo et al). 2002;47:S225-8 (Case rep.)
Ross EV, Cooke LM, Timko AL, Overstreet KA, Graham BS, Barnette DJ. Treatment of pseudofolliculitis barbae in skin types IV, V, and VI with a long-pulsed neodymium:yttrium aluminum garnet laser. 2002;47:263-70 (Therapy)
Roth WI (*see* Zampogna et al). 2002;47:S229-35 (Case rep.)
Roujeau J-C (*see* Eliaszewicz et al). 2002;47:40-6
Rubenstein DS, Blauvelt A, Chen SC, Darling TN. The future of academic dermatology in the United States: report on the res-

ident retreat for future physician-scientists, June 15-17, 2001. 2002;47:300-3 (Special report)
Rudisell J (*see* Conner et al). 2002;47:347-50
Ruiz-Rodriguez R, Alvarez JG, Jaén P, Acevedo A, Córdoba S. Photodynamic therapy with 5-aminolevulinic acid for recalcitrant familial benign pemphigus (Hailey-Hailey disease). 2002;47:740-2 (Therapy)
Rukwied R, Zeck S, Schmelz M, McGlone F. Sensitivity of human scalp skin to pruritic stimuli investigated by intradermal microdialysis in vivo. 2002;47:245-50
Rukwied R (*see* Neisius et al). 2002;47:28-32
Ruocco E (*see* Ruocco et al). 2002;47:124-7 (Concepts)
Ruocco V, Schwartz RA, Ruocco E. Lymphedema: an immunologically vulnerable site for development of neoplasms. 2002;47:124-7 (Concepts)
Russell KJ (*see* Masood et al). 2002;47:140-5 (Brief rep.)
Rütten A (*see* Pabsch et al). 2002;47:557-61 (Therapy)
Rütten A (*see* Pérez et al). 2002;47:21-7

*S*

Sabath DE (*see* Masood et al). 2002;47:140-5 (Brief rep.)
Saffle JR (*see* Tristani-Firouzi et al). 2002;47:548-52
Saida T (*see* Uhara et al). 2002;47:502-4
Saidman BH (*see* Shapiro et al). 2002;47:623-8 (Brief rep.)
Salasche SJ, Levine N, Morrison L. Cycle therapy of actinic keratoses of the face and scalp with 5% topical imiquimod cream: an open-label trial. 2002;47:571-7 (Therapy)
Salcedo SL (*see* Jih et al). 2002;47:908-13 (Clin. rev.)
Sale GE (*see* Masood et al). 2002;47:140-5 (Brief rep.)
Salomon D (*see* Szeimies et al). 2002;47:258-62 (Therapy)
Salopek TG, Logsetty S, Tredget EE. Anti-CD20 chimeric monoclonal antibody (rituximab) for the treatment of recalcitrant, life-threatening pemphigus vulgaris with implications in the pathogenesis of the disorder. 2002;47:785-8 (Case rep.)
Sanchez RL (*see* Maloney et al). 2002;47:614-6 (Case rep.)
Sander CA (*see* Pabsch et al). 2002;47:557-61 (Therapy)
Sangueza OP, Caudell MD, Mengesha YM, Davis LS, Barnes CJ, Griffin JE, Fleischer AB, Jorizzo JL. Palisaded neutrophilic granulomatous dermatitis in rheumatoid arthritis. 2002;47:251-7
Santana Z (*see* Piqué et al). 2002;47:S254-6 (Case rep.)
Saraswat A, Kumar B. Dermatoses of pregnancy: rose of circulating fetal cells. 2002;47:799-800 (Letter: notes & comments)
Sartorius K (*see* Lapins et al). 2002;47:280-5 (Laser surgery)
Satchell AC, Saurajen A, Bell C, Barnetson RS. Treatment of dandruff with 5% tea tree oil shampoo. 2002;47:852-5
Satoi Y (*see* Fleischer et al). 2002;47:562-70 (Therapy)
Sauder DN, DeKoven J, Champagne P, Croteau D, Dupont É. Neovastat (Æ-941), an inhibitor of angiogenesis: randomized phase I/II clinical trial results in patients with plaque psoriasis. 2002;47:535-41
Saurajen A (*see* Satchell et al). 2002;47:852-5
Saurat J-H (*see* Friedli et al). 2002;47:S266-7 (Case rep.)
Scarabello A (*see* Fantini et al). 2002;47:319-20 (Letter)
Schaller J (*see* Pabsch et al). 2002;47:557-61 (Therapy)
Scharffetter-Kochanek K (*see* Hinrichs et al). 2002;47:S268-9 (Case rep.)
Scherschun L (*see* Gathers et al). 2002;47:191-7
Schmelz M (*see* Neisius et al). 2002;47:28-32
Schmelz M (*see* Rukwied et al). 2002;47:245-50
Schmidt E, Sitaru C, Schubert B, Wesselmann U, Kromminga A, Bröcker E-B, Zillikens D. Subacute prurigo variant of bullous pemphigoid: autoantibodies show the same specificity compared with classic bullous pemphigoid. 2002;47:133-6 (Case rep.)
Schmidt JD (*see* Maloney et al). 2002;47:969-70 (Letters: notes & comments)
Schöpf E (*see* Dichmann et al). 2002;47:635-6 (Letter)
Schöttler E (*see* Dittberner et al). 2002;47:452-3 (Letter)
Schubert B (*see* Schmidt et al). 2002;47:133-6 (Case rep.)
Schulman N (*see* Shapiro et al). 2002;47:623-8 (Brief rep.)
Schwartz J, Norton SA. Useful plants of dermatology. VI. The mayapple *(Podophyllum)*. 2002;47:774-5 (Special report)
Schwartz RA (*see* Ruocco et al). 2002;47:124-7 (Concepts)
Schwarzenberger K (*see* Elston et al). 2002;47:291-9 (Periodic synopsis)
Servitje O (*see* Pujol et al). 2002;47:S168-71 (Case rep.)
Serwatka LM (*see* Ritter et al). 2002;47:323-4 (Letter)
Shackelford KE, Belsito DV. The etiology of allergic-appearing foot dermatitis: a 5-year retrospective study. 2002;47:715-21
Shah N (*see* Romagosa et al). 2002;47:970-2 (Letters: notes & comments)
Shah NS, Lazarus MC, Bugdodel R, Hsia SL, He J, Duncan R, Baumann L. The effects of topical vitamin K on bruising after laser treatment. 2002;47:241-4
Shalita A (*see* Leyden et al). 2002;47:399-409 (Therapy)
Shamuelova E (*see* Persaud et al). 2002;47:553-6
Shapiro J (*see* Tosti et al). 2002;47:636-7 (Letter)
Shapiro LE, Shear NH. Drug interactions: proteins, pumps, and P-450s. 2002;47:467-84 (CME article)
Shapiro M, Rook AH, Lehrer MS, Junkins-Hopkins JM, French LE, Vittorio CC. Novel multimodality biologic response modifier therapy, including bexarotene and long-wave ultraviolet A for a patient with refractory stage IVa cutaneous T-cell lymphoma. 2002;47:956-61 (Case rep.)
Shapiro M, Yun M, Junkins-Hopkins JM, Vittorio CC, Schulman N, Saidman BH, Fried RG, Rook AH, Alavi A. Assessment of tumor burden and treatment response by 18F-fluorodeoxyglucose injection and positron emission tomography in patients with cutaneous T- and B-cell lymphomas. 2002;47:623-8 (Brief rep.)
Sharquie KE, Al-Waiz M, Naji A. Mycosis fungoides and serology for human T-cell lymphotropic virus, type 1. 2002;47:159-60 (Letter reply)
Shear NH (*see* Shapiro and Shear). 2002;47:467-84 (CME article)
Sheehan-Dare RA (*see* Mahendran et al). 2002;47:620-2 (Brief rep.)
Sherer D (*see* Persaud et al). 2002;47:553-6
Sheu MY (*see* Chamlin et al). 2002;47:198-208
Shibata H (*see* Pereira et al). 2002;47:S172-4 (Case rep.)
Shimanovich I, Skrobeck C, Rose C, Nie Z, Hashimoto T, Bröcker E-B, Zillikens D. Pemphigoid gestationis with predominant involvement of oral mucous membranes and IgA autoantibodies targeting the C-terminus of BP180. 2002;47:780-4 (Case rep.)
Shuey SR (*see* Gottleib et al). 2002;47:692-700
Shum KW, Cullen DR, Messenger AG. Hair loss in women with hyperandrogenism: four cases responding to finasteride. 2002;47:733-9
Sidoroff A (*see* Szeimies et al). 2002;47:258-62 (Therapy)
Sinclair R (*see* Tosti et al). 2002;47:636-7 (Letter)
Sinclair RD (*see* Thai and Sinclair). 2002;47:605-7 (Case rep.)
Singer G (*see* Persaud et al). 2002;47:553-6
Sitaru C (*see* Schmidt et al). 2002;47:133-6 (Case rep.)
Skinner RB Jr. Treatment of molluscum contagiosum with imiquimod 5% cream. 2002;47:S221-4 (Case rep.)
Skowron F, Combemale P, Faisant M, Baran R, Kanitakis J, Dupin M. Functional melanonychia due to involvement of the nail matrix in systemic lupus erythematosus. 2002;47:S187-8 (Case rep.)
Skrobeck C (*see* Shimanovich et al). 2002;47:780-4 (Case rep.)
Smith EB. Safety considerations in the treatment of dermatophytosis. 2002;47:456-7 (Letter reply)
Smith KJ, Germain M, Yeager J, Skelton H. Topical 5% imiquimod for the therapy of actinic cheilitis. 2002;47:497-501

Smith SB, Libow LF, Elston DM, Bernert RA, Warschaw KE. Gloves and socks syndrome: early and late histopathologic features. 2002;47:749-54 (Dermatopathology)
Soriano T (*see* Grimes et al). 2002;47:789-91 (Brief rep.)
Soyer HP (*see* Pizzichetta et al). 2002;47:137-9 (Case rep.)
Spittle M (*see* Jones et al). 2002;47:364-70
Spray A, Glaser DA. Herpes zoster of the penis: an unusual location for a common eruption. 2002;47:S177-9 (Case rep.)
Spruance SL. N-docosanol (Abreva) for herpes labialis: problems and questions. 2002;47:457-8 (Letter)
Stanczyk FZ (*see* Leyden et al). 2002;47:399-409 (Therapy)
Starink TM (*see* Bleeker et al). 2002;47:351-7
Steinhoff M (*see* Treudler et al). 2002;47:611-3 (Case rep.)
Stern RS, Bagheri S, Nichols K, PUVA Follow Up Study. The persistent risk of genital tumors among men treated with psoralen plus ultraviolet A (PUVA) for psoriasis. 2002;47:33-9
Stough DB (*see* Krueger et al). 2002;47:821-33
Sueki H (*see* Nakada et al). 2002;47:S183-6 (Case rep.)
Suga Y, Ikejima A, Matsuba S, Ogawa H. Medical pearl: DHA application for camouflaging segmental vitiligo and piebald lesions. 2002;47:435-8 (Pearls)
Sugarman JH, Fleischer AB Jr., Feldman SR. Off-label prescribing in the treatment of dermatologic disease. 2002;47:217-23
Sullivan TP, Kirsner RS. Surgical pearl: punch technique to improve granulation over exposed tendons in chronic wounds. 2002;47:439-40 (Pearls)
Sundel RP (*see* Fisler et al). 2002;47:505-11
Swartling C, Naver H, Lindberg M, Anveden I. Treatment of dyshidrotic hand dermatitis with intradermal botulinum toxin. 2002;47:667-71
Swinehart JM (*see* Olsen et al). 2002;47:377-85
Swinyer L (*see* Leyden et al). 2002;47:399-409 (Therapy)
Szeimies RM, Karrer S, Radakovic-Fijan S, Tanew A, Calzavara-Pinton PG, Zane C, Sidoroff A, Hempel M, Ulrich J, Proebstle T, Meffert H, Mulder M, Salomon D, Dittmar HC, Bauer JW, Kernland K, Braathen L. Photodynamic therapy using topical methyl 5-aminolevulinate compared with cryotherapy for actinic keratosis: a prospective, randomized study. 2002;47:258-62 (Therapy)

*T*

Tachihara R (*see* Yun et al). 2002;47:542-7
Tacrolimus Ointment Study Group (*see* Fleischer et al). 2002;47:562-70 (Therapy)
Tajima S (*see* Akagi et al). 2002;47:S189-92 (Case rep.)
Takács A (*see* Erös et al). 2002;47:S260-2 (Case rep.)
Takizawa Y (*see* Uhara et al). 2002;47:502-4
Talpur R, Lifshitz O, Breuer-McHam J, Duvic M. Increased serum immunoglobulin levels are common in mycosis fungoides and Sézary syndrome. 2002;47:685-91
Talpur R, Ward S, Apisarnthanarax N, Breuer-McHam J, Duvic M. Optimizing bexarotene therapy for cutaneous T-cell lymphoma. 2002;47:672-84
Tamaki K (*see* Kubo et al). 2002;47:148-51 (Brief rep.)
Tanew A (*see* Szeimies et al). 2002;47:258-62 (Therapy)
Taniguchi S (*see* Kato et al). 2002;47:S287-8 (Case rep.)
Tannous Z (*see* Gonzœlez and Tannous). 2002;47:869-74
Tannous ZS (*see* Richardson et al). 2002;47:77-90 (Clin. rev.)
Taylor CR (*see* Trehan and Taylor). 2002;47:701-8
Taylor JS (*see* Carucci et al). 2002;47:766-9 (From the academy)
Taylor JS (*see* Hughes and Taylor). 2002;47:965-6 (Commentary)
Taylor SC, Kelly AP, Dupree NE, Kimball AB, Lawrence RC. Health disparities in arthritis and musculoskeletal and skin diseasesCthe dermatology session: National Institute of Arthritis and Musculoskeletal and Skin Diseases, Bethesda, Maryland, December 15-16, 2000. 2002;47:770-3 (Special report)
Tebbe B, Steinhoff M, Orfanos CE (*see* Treudler et al). 2002;47:611-3 (Case rep.)
Thai K-E, Sinclair RD. Chronic telogen effluvium in a man. 2002;47:605-7 (Case rep.)
Thami GP, Kaur S, Kanwar AJ. Surgical pearl: enucleation of milia with a disposable hypodermic needle. 2002;47:602-3 (Pearls)
Thiboutot D. Acne: 1991-2001. 2002;47:109-17 (Periodic synopsis)
Thoma-Uszynski S (*see* Baykal et al). 2002;47:875-80
Thompson JA (*see* Masood et al). 2002;47:140-5 (Brief rep.)
Timko AL (*see* Ross et al). 2002;47:263-70 (Therapy)
Tope WD (*see* Ahmed et al). 2002;47:S196-200 (Case rep.)
Tortel J (*see* Grange et al). 2002;47:530-4
Tortel M-C (*see* Grange et al). 2002;47:530-4
Tosti A, Piraccini BM, Bergfeld WF, Camacho F, Dawber RPR, Happle R, Olsen EA, Price VH, Rebora A, Shapiro J, Sinclair R, VanNeste D, Whiting DA. Occupational alopecia or alopecia areata?. 2002;47:636-7 (Letter)
Tosti A, Piraccini BM, Ghetti E, Colombo MD. Topical steroids versus systemic antifungals in the treatment of chronic paronychia: an open, randomized double-blind and double dummy study. 2002;47:73-6 (Therapy)
Totoritis MC (*see* Gottleib et al). 2002;47:692-700
Toy GG (*see* Alli and Toy). 2002;47:967 (Letters: case notes)
Trancik RJ (*see* Olsen et al). 2002;47:377-85
Trattner A (*see* Naimer and Trattner). 2002;47:454-5 (Letter reply)
Trautinger F (*see* Jones et al). 2002;47:364-70
Tredget EE (*see* Salopek et al). 2002;47:785-8 (Case rep.)
Trehan M, Taylor CR. Medium-dose 308-nm excimer laser for the treatment of psoriasis. 2002;47:701-8
Treudler R, Tebbe B, Steinhoff M, Orfanos CE. Familial aquagenic urticaria associated with familial lactose intolerance. 2002;47:611-3 (Case rep.)
Trevisan G (*see* Pizzichetta et al). 2002;47:137-9 (Case rep.)
Tripp JM (*see* Gelbard et al). 2002;47:224-30
Tristani-Firouzi P, Petersen MJ, Saffle JR, Morris SE, Zone JJ. Treatment of toxic epidermal necrolysis with intravenous immunoglobulin in children. 2002;47:548-52
Trontell A (*see* Brinker et al). 2002;47:798-9 (Letter: notes & comments)
Tschen EH (*see* Olsen et al). 2002;47:377-85
Tschen JA (*see* Bogle et al). 2002;47:448-51 (Case rep.)
Turner ML (*see* Weiss et al). 2002;47:512-7
Turner MLC. (*see* Kimball and Turner). 2002;47:159 (Letter)
Tütüncü R (*see* Hinrichs et al). 2002;47:S268-9 (Case rep.)
Tyler WB (*see* Papa et al). 2002;47:S281-2 (Case rep.)
Tyler WB (*see* Pelle et al). 2002;47:429-35 (Clin. rev.)
Tyring SK (*see* Brown et al). 2002;47:581-99 (Clin. rev.). Correction 2002;47:972
Tyring SK (*see* Carrasco et al). 2002;47:S212-6 (Case rep.)
Tyring SK (*see* Geraminejad et al). 2002;47:641-55 (CME article)

*U*

Uetsu N, Okamoto H, Fujii K, Doi R, Horio T. Treatment of chronic actinic dermatitis with tacrolimus ointment. 2002;47:881-4 (Therapy)
Uhara H, Saida T, Watanabe T, Takizawa Y. Lymphangitis of the foot demonstrating lymphatic drainage pathways from the sole. 2002;47:502-4
Uitto J. Herbert A. Luscombe, 1916-2002. 2002;47:976 (In memoriam)
Uitto J (*see* Pulkkinen et al). 2002;47:91-104 (Review)
Ulrich J (*see* Szeimies et al). 2002;47:258-62 (Therapy)
Urbina F (*see* Pérez et al). 2002;47:21-7

*V*

Valencia I (*see* Kirsner et al). 2002;47:158 (Letter reply)

van Andel RE (*see* Bleeker et al). 2002;47:351-7
van den Brule AJC (*see* Bleeker et al). 2002;47:351-7
Van Keulen V (*see* Drage et al). 2002;47:209-16
Vander Straten M (*see* Carrasco et al). 2002;47:S212-6 (Case rep.)
VanLoock JS (*see* McClelland et al). 2002;47:962-4 (Case rep.)
VanNeste D (*see* Tosti et al). 2002;47:636-7 (Letter)
Vásquez-López F (*see* Álvarez-Cuesta et al). 2002;47:S257-9 (Case rep.)
Viguier M (*see* Poszepczynska-Guigné et al). 2002;47:47-52
Viraben R (*see* Boulinguez and Viraben). 2002;47:324-5 (Letter)
Vittorio CC (*see* Shapiro et al). 2002;47:623-8 (Brief rep.), 2002;47:956-61 (Case rep.)
Vodegal RM, de Jong MCJM, Pas HH, Jonkman MF. IgA-mediated epidermolysis bullosa acquisita: two cases and review of the literature. 2002;47:919-25 (Review)
Von Stemm A (*see* Pabsch et al). 2002;47:557-61 (Therapy)
Voorhorst FJ (*see* Bleeker et al). 2002;47:351-7

*W*

Wahl A (*see* Mørk and Wahl). 2002;47:314-6 (Brief rep.)
Wakasa K (*see* Kato et al). 2002;47:S287-8 (Case rep.)
Wang B (*see* Pereira et al). 2002;47:S172-4 (Case rep.)
Ward KM, Celebi JT, Gmyrek R, Grossman ME. Acute infectious purpura fulminans associated with asplenism or hyposplenism. 2002;47:493-6
Ward S (*see* Talpur et al). 2002;47:672-84
Warschaw K (*see* Carucci et al). 2002;47:766-9 (From the Academy)
Warschaw KE (*see* Smith et al). 2002;47:749-54 (Dermatopathology)
Watanabe T (*see* Uhara et al). 2002;47:502-4
Watsky KL (*see* Elston et al). 2002;47:291-9 (Periodic synopsis)
Weber M (*see* Leyden et al). 2002;47:399-409 (Therapy)
Wechsler J (*see* Grange et al). 2002;47:530-4
Weigel H (*see* Haas et al). 2002;47:S270-2 (Case rep.)
Weinstock MA, Nguyen FQ, Risica PM. Patient and referring provider satisfaction with teledermatology. 2002;47:68-72
Weismann K, Lorentzen HF, Larsen FG. Diagnostic pearl: bright field globe magnifier diascopy for large pigmented skin lesions: a practical approach to epiluminescence microscopy. 2002;47:304-6 (Pearls)
Weiss EA (*see* Drage et al). 2002;47:209-16
Weiss SC, Kimball AB, Liewehr DJ, Blauvelt A, Turner ML, Emanuel EJ. Quantifying the harmful effect of psoriasis on health-related quality of life. 2002;47:512-7
Wesselmann U (*see* Schmidt et al). 2002;47:133-6 (Case rep.)
Whalen JD (*see* Antonovich and Whalen). 2002;47:776 (Pearls)
Wheeland RG (*see* Carucci et al). 2002;47:766-9 (From the Academy)
White SI (*see* Mahendran et al). 2002;47:620-2 (Brief rep.)
Whiting DA (*see* Olsen et al). 2002;47:795 (Commentary)
Whiting DA (*see* Tosti et al). 2002;47:636-7 (Letter)
Willemze R (*see* Jones et al). 2002;47:364-70
Willey A, Glusac EJ, Bolognia JL. Photoeruption in a patient treated with capecitabine (Xeloda) for metastatic breast cancer. 2002;47:453 (Letter)
Williams ML (*see* Chamlin et al). 2002;47:198-208
Wilson LD (*see* Jones et al). 2002;47:364-70
Wolkenstein P (*see* Eliaszewicz et al). 2002;47:40-6
Woodrow SL, Mehta RK, Pye RJ. Surgical pearl: the "skin strip" method for harvesting tissue to graft for chronic ulceration. 2002;47:600-1 (Pearls)
Wrangsjö K (*see* Matura et al). 2002;47:709-14

*X*

Xu Y (*see* Beutner et al). 2002;47:841-51

*Y*

Yalcindag A (*see* Fisler et al). 2002;47:505-11
Yamane K (*see* Kubo et al). 2002;47:148-51 (Brief rep.)
Yamauchi P (*see* Lowe et al). 2002;47:834-40
Yates VM (*see* Kirby et al). 2002;47:S165-7 (Case rep.)
Yazawa N (*see* Kubo et al). 2002;47:148-51 (Brief rep.)
Yiannias JA (*see* el-Azhary and Yiannias). 2002;47:954-5 (Case rep.)
Youker SR, Marks JG Jr., Ioffreda MD. Occupationally induced pyoderma gangrenosum. 2002;47:322-3 (Letter)
Young TL (*see* Ahmed et al). 2002;47:S196-200 (Case rep.)
Yun M (*see* Shapiro et al). 2002;47:623-8 (Brief rep.)
Yun PL, Tachihara R, Anderson RR. Efficacy of erbium:yttrium-aluminum-garnet laser–assisted delivery of topical anesthetic. 2002;47:542-7

*Z*

Zackheim HS, Koo H, LeBoit PE, McCalmont TH, Bowman PH, Kashani-Sabet M, Jones C, Zehnder J. Psoriasiform mycosis fungoides with fatal outcome after treatment with cyclosporine. 2002;47:155-7 (Letter)
Zackheim HS, McCalmont TH. Mycosis fungoides: the great imitator. 2002;47:914-8 (Clin. rev.)
Zaenglein AL, Chang MW, Meehan SA, Axelrod FB, Orlow SJ. Extensive Riga-Fede disease of the lip and tongue. 2002;47:445-7 (Case rep.)
Zaenglein AL, Heintz P, Kamino H, Zisblatt M, Orlow SJ. Congenital Spitz nevus clinically mimicking melanoma. 2002;47:441-4 (Case rep.)
Zampogna JC, Flowers FP, Roth WI, Hassenein AM. Treatment of primary limited cutaneous extramammary Paget's disease with topical imiquimod monotherapy: two case reports. 2002;47:S229-35 (Case rep.)
Zane C (*see* Calzavara-Pinton et al). 2002;47:410-4 (Therapy)
Zane C (*see* Szeimies et al). 2002;47:258-62 (Therapy)
Zaun H (*see* Henn et al). 2002;47:519-23
Zeck S (*see* Rukwied et al). 2002;47:245-50
Zehnder J (*see* Zackheim et al). 2002;47:155-7 (Letter)
Zillikens D (*see* Schmidt et al). 2002;47:133-6 (Case rep.)
Zillikens D (*see* Shimanovich et al). 2002;47:780-4 (Case rep.)
Zisblatt M (*see* Zaenglein et al). 2002;47:441-4 (Case rep.)
Zitelli JA (*see* Boyer et al). 2002;47:885-92 (Derm. surgery), 2002;47:938-9 (Pearls)
Zlotogorski A (*see* Henn et al). 2002;47:519-23
Zone JJ (*see* Tristani-Firouzi et al). 2002;47:548-52

# Subject index*


*A*

**Accutane**

Pregnancy and pregnancy rates in association with isotretinoin (Accutane) (Brinker et al). 2002;47:798-9

**Acne**

Acne: 1991-2001 (Thiboutot). 2002;47:109-17 (Periodic synopsis)

Acne therapy: a methodologic review (Lehmann et al). 2002;47:231-40

Efficacy of a low-dose oral contraceptive containing 20 μg of ethinyl estradiol and 100 μg of levonorgestrel for the treatment of moderate acne: a randomized, placebo-controlled trial (Leyden et al). 2002;47:399-409 (Therapy)

**Acquired immunodeficiency syndrome**

Multiple nevoid malignant melanomas in a patient with AIDS: the role of proliferating cell nuclear antigen in the diagnosis (Pereira et al). 2002;47:S172-4 (Case rep.)

Prospective evaluation of risk factors of cutaneous drug reactions to sulfonamides in patients with AIDS (Eliaszewicz et al). 2002;47:40-6

**Acral vascular syndrome**

Paraneoplastic acral vascular syndrome: epidemiologic features, clinical manifestations, and disease sequelae (Poszepczynska-Guigné et al). 2002;47:47-52

**Acrokeratoelastoidosis**

Acrokeratoelastoidosis (Bogle et al). 2002;47:448-51 (Case rep.)

**Adenomatosis**

Erosive adenomatosis of the nipple: conservation of the nipple by Mohs micrographic surgery (Lee and Chung). 2002;47:578-80 (Derm. surgery)

**Age factors**

Desmoplastic malignant melanoma of the lip: a report of 6 cases and review of the literature (Hui et al). 2002;47:863-8

Primary follicular mucinosis: long-term follow-up of patients younger than 40 years with and without clonal T-cell receptor gene rearrangement (Brown et al). 2002;47:856-62. Correction 2002;47:972

**Aged, 80 and over**

Prognostic factors for life expectancy in nonagenarians with nonmelanoma skin cancer: implications for selecting surgical candidates. 2002;47:419-22 (Derm. surgery)

**Air bags**

Airbag trauma induced cutaneous fistulae in a heart transplant patient (Alam and Bickers). 2002;47:S175-6 (Case rep.)

**Alefacept**

A randomized, double-blind, placebo-controlled phase III study evaluating efficacy and tolerability of 2 courses of alefacept in patients with chronic plaque psoriasis (Krueger et al). 2002;47:821-33

**Alitretinoin**

Alitretinoin gel to treat pyogenic granuloma (Maloney et al). 2002;47:969-70 (Letters: notes & comments)

**Allergens**

Allergic contact dermatitis to epoxy resin in immersion oil for light microscopy (el-Azhary and Yiannias). 2002;47:954-5 (Case rep.)

The etiology of allergic-appearing foot dermatitis: a 5-year retrospective study (Shackelford and Belsito). 2002;47:715-21

Eyelid dermatitis: experience in 203 cases (Guin). 2002;47:755-65 (Clin. rev.)

Oxidized citrus oil (*R*-limonene): a frequent skin sensitizer in Europe (Matura et al). 2002;47:709-14

Surveillance of allergic contact dermatitis: epoxy resin and microscopic immersion oil (Hughes and Taylor). 2002;47:965-6 (Commentary)

**Alopecia**

Approach to the adult female patient with diffuse nonscarring alopecia (Chartier et al). 2002;47:809-18 (CME article)

Atrichia with papular lesions resulting from compound heterozygous mutations in the hairless gene: a lesson for differential diagnosis of alopecia universalis (Henn et al). 2002;47:519-23

Occupational alopecia or alopecia areata? (Tosti et al). 2002;47:636-7 (Letter)

**Alopecia, androgenetic**

Female pattern hair loss (Olsen et al). 2002;47:795 (Commentary)

A randomized clinical trial of 5% topical minoxidil versus 2% topical minoxidil and placebo in the treatment of androgenetic alopecia in men (Olsen et al). 2002;47:377-85

**Americans With Disabilities Act**

Dermatology and the Americans With Disabilities Act: a review of the case law (Curry et al). 2002;47:926-9 (Special report)

**Aminolevulinic acid**

Photodynamic therapy with 5-aminolevulinic acid for recalcitrant familial benign pemphigus (Hailey-Hailey disease) (Ruiz-Rodriguez et al). 2002;47:740-2 (Therapy)

**Anesthesia**

Efficacy of erbium:yttrium-aluminum-garnet laser–assisted delivery of topical anesthetic (Yun et al). 2002;47:542-7

Liposuction (Lawrence and Coleman). 2002;47:105-8 (Periodic synopsis)

Topical anesthesia: clarification (Kingsley). 2002;47:158-9 (Letter)

**Angiogenesis**

Neovastat (Æ-941), an inhibitor of angiogenesis: randomized phase I/II clinical trial results in patients with plaque psoriasis (Sauder et al). 2002;47:535-41

**Angioma, tufted**

Response of childhood tufted angioma to the pulsed-dye laser (Mahendran et al). 2002;47:620-2 (Brief rep.)

**Anthrax**

Cutaneous anthrax management algorithm (Carucci et al). 2002;47:766-9 (From the academy)

**Antibodies, monoclonal**

Anti-CD20 chimeric monoclonal antibody (rituximab) for the treatment of recalcitrant, life-threatening pemphigus vulgaris with implications in the pathogenesis of the disorder (Salopek et al). 2002;47:785-8 (Case rep.)

Clinical and histologic response to single-dose treatment of moderate to severe psoriasis with an anti-CD80 monoclonal antibody (Gottleib et al). 2002;47:692-700

Humanized monoclonal anti-CD25 antibody as a novel therapeutic option in HIV-associated psoriatic erythroderma (Dichmann et al). 2002;47:635-6 (Letter)

**Antifungals**

Safety considerations in the treatment of dermatophytosis (Reed) (Letter) (Smith) (Letter reply). 2002;47:455-6

Topical steroids versus systemic antifungals in the treatment of chronic paronychia: an open, randomized double-blind


*July, pp. 1-168; August, pp. 169-326, S165-204; September, pp. 327-466; October, pp. 467-640, S205-48; November, pp. 641-808, S249-88; December, 809-1006.

and double dummy study (Tosti et al). 2002;47:73-6 (Therapy)

**Antiviral agents**

Antiviral agents: nonantiviral drugs (Brown et al). 2002;47:581-99 (Clin. rev.)

**Arthritis**

Health disparities in arthritis and musculoskeletal and skin diseases—the dermatology session: National Institute of Arthritis and Musculoskeletal and Skin Diseases, Bethesda, Maryland, December 15-16, 2000 (Taylor et al). 2002;47:770-3 (Special report)

**Autoantibodies**

Prevalence of 52-kd and 60-kd Ro/SS-A autoantibodies in Japanese patients with polymyositis/dermatomyositis (Kubo et al). 2002;47:148-51 (Brief rep.)

Vesiculobullous systemic lupus erythematosus: a case with circulating IgG and IgA autoantibodies to type VII collagen (Nitta et al). 2002;47:S283-6 (Case rep.)

**Autoimmune diseases**

Autoimmune progesterone dermatitis manifested as erythema annulare centrifugum: confirmation of progesterone sensitivity by in vitro interferon-γ release (Halevy et al). 2002;47:311-3 (Brief rep.)

Pemphigoid gestationis with predominant involvement of oral mucous membranes and IgA autoantibodies targeting the C-terminus of BP180 (Shimanovich et al). 2002;47:780-4 (Case rep.)

Pemphigus vulgaris localized to the nose and cheeks (Baykal et al). 2002;47:875-80

Subacute prurigo variant of bullous pemphigoid: autoantibodies show the same specificity compared with classic bullous pemphigoid (Schmidt et al). 2002;47:133-6 (Case rep.)

Thalidomide therapy for cicatricial pemphigoid (Duong et al). 2002;47:S193-5 (Case rep.)

Treatment of pemphigus with intravenous immunoglobulin (Bystryn et al). 2002;47:358-63

*B*

***Bacillus cereus***

Cutaneous *Bacillus cereus* infection in an immunocompetent patient (Boulinguez and Viraben). 2002;47:324-5 (Letter)

**Beneath the surface**

Beneath the surface. 2002;47:317-8

**Betamethasone sodium phosphate**

Fluticasone propionate spray and betamethasone sodium phosphate mouthrinse: a randomized crossover study for the treatment of symptomatic oral lichen planus (Hegarty et al). 2002;47:271-9 (Therapy)

**Bexarotene**

Novel multimodality biologic response modifier therapy, including bexarotene and long-wave ultraviolet A for a patient with refractory stage IVa cutaneous T-cell lymphoma (Shapiro et al). 2002;47:956-61 (Case rep.)

Optimizing bexarotene therapy for cutaneous T-cell lymphoma (Talpur et al). 2002;47:672-84

**Biofilms**

Dermatophytoma: recalcitrance to treatment because of existence of fungal biofilm (Burkhart et al). 2002;47:629-31 (Commentary)

**Bioterrorism**

Cutaneous anthrax management algorithm (Carucci et al). 2002;47:766-9 (From the academy)

**Blacks**

Squamous cell carcinoma of the legs in African Americans (McCall and Chen). 2002;47:524-9

**Bloch-Sulzberger syndrome**

Incontinentia pigmenti: a review and update on the molecular basis of pathophysiology (Berlin et al). 2002;47:169-87 (CME article)

**Book reviews**

Book reviews. 2002;47:326, 459, 638-40

***Borrelia burgdorferi***

*Borrelia burgdorferi*–associated lymphocytoma cutis simulating a primary cutaneous large B-cell lymphoma (Grange et al). 2002;47:530-4

**Botulinum toxin**

Bilateral, double-blind, randomized comparison of 3 doses of botulinum toxin type A and placebo in patients with crow's feet (Lowe et al). 2002;47:834-40

Treatment of dyshidrotic hand dermatitis with intradermal botulinum toxin (Swartling et al). 2002;47:667-71

**Bowen's disease**

Bowen's disease clinically simulating an onychomatricoma (Baran and Perrin). 2002;47:947-9 (Case rep.)

**Breast cancer**

Photoeruption in a patient treated with capecitabine (Xeloda) for metastatic breast cancer (Willey et al). 2002;47:453 (Letter)

**Brief reports**

Brief reports. 2002;47:140-51, 311-6, 617-28, 789-91

*C*

**Calcinosis**

Aggressive management of juvenile dermatomyositis results in improved outcome and decreased incidence of calcinosis (Fisler et al). 2002;47:505-11

**Calciphylaxis**

Three-dimensional analysis of a calciphylaxis plaque: clues to pathogenesis (Au and Crawford). 2002;47:53-7

**Capecitabine**

Photoeruption in a patient treated with capecitabine (Xeloda) for metastatic breast cancer (Willey et al). 2002;47:453 (Letter)

**Carcinoma**

Sebaceous carcinoma in children (Omura et al). 2002;47:950-3 (Case rep.)

**Carcinoma, basal cell**

An open case series of patients with basal cell carcinoma treated with topical 5% imiquimod cream (Cowen et al). 2002;47:S240-8 (Case rep.)

Basal cell carcinoma presenting as a large pore (Benedetto et al). 2002;47:727-32

Follicular differentiation in basal cell carcinoma and the trend to designate benign or questionable lesions as malignant (Rapini). 2002;47:792-4 (Commentary)

Imiquimod 5% cream for the treatment of superficial basal cell carcinoma: a double-blind, randomized, vehicle-controlled study (Geisse et al). 2002;47:390-8

Real-time in vivo confocal reflectance microscopy of basal cell carcinoma (González et al). 2002;47:869-74

**Carcinoma, squamous cell**

The persistent risk of genital tumors among men treated with psoralen plus ultraviolet A (PUVA) for psoriasis (Stern RS et al). 2002;47:33-9

Squamous cell carcinoma of the legs in African Americans (McCall and Chen). 2002;47:524-9

Treatment of squamous cell carcinoma in situ of the penis with 5% imiquimod cream: a case report (Orengo et al). 2002;47: S225-8 (Case rep.)

**Case reports**

Case reports. 2002;47:133-9, 441-51, 605-16, 780-8, 943-64, S165-248

**Cervical intraepithelial neoplasia**

Penile lesions and human papillomavirus in male sexual partners of women with cervical intraepithelial neoplasia (Bleeker et al). 2002;47:351-7

**Cetuximab**

Paronychia induced by cetuximab, an antiepidermal growth factor receptor antibody (Boucher et al). 2002;47:632-3

**Cheilitis**

Topical 5% imiquimod for the therapy of actinic cheilitis (Smith et al). 2002;47:497-501

**Chemotherapy**

Photoeruption in a patient treated with capecitabine (Xeloda) for metastatic breast cancer (Willey et al). 2002;47:453 (Letter)

**Children**

Aggressive management of juvenile dermatomyositis results in improved outcome and decreased incidence of calcinosis (Fisler et al). 2002;47:505-11

Benign cephalic histiocytosis: a case report and review (Jih et al). 2002;47:908-13 (Clin. rev.)

Ceramide-dominant barrier repair lipids alleviate childhood atopic dermatitis: changes in barrier function provide a sensitive indicator of disease activity (Chamlin et al). 2002;47: 198-208

Congenital and infantile melanoma: review of the literature and report of an uncommon variant, pigment-synthesizing melanoma (Richardson et al). 2002;47:77-90 (Clin. rev.)

Congenital Spitz nevus clinically mimicking melanoma (Zaenglein et al). 2002;47:441-4 (Case rep.)

Eccrine angiomatous hamartoma (Pelle et al). 2002;47:429-35 (Clin. rev.)

Hypocomplementemic urticarial vasculitis: report of a 12-year-old girl with systemic lupus erythematosus (DeAmicis et al). 2002;47:S273-4 (Case rep.)

Multiple cutaneous granular cell tumors in a child in remission for Hodgkin's disease (Da Raeve et al). 2002;47:S180-2 (Case rep.)

Pityriasis rubra pilaris in children (Allison et al). 2002;47:386-9

Response of childhood tufted angioma to the pulsed-dye laser (Mahendran et al). 2002;47:620-2 (Brief rep.)

Sebaceous carcinoma in children (Omura et al). 2002;47:950-3 (Case rep.)

Treatment of childhood mycosis fungoides with topical PUVA (Pabsch et al). 2002;47:557-61 (Therapy)

Treatment of toxic epidermal necrolysis with intravenous immunoglobulin in children (Tristani-Firouzi et al). 2002;47: 548-52

Two brothers with keratosis follicularis spinulosa decalvans (Alfadley et al). 2002;47:S275-8 (Case rep.)

**Churg-Strauss syndrome**

Evidence for pathogenic involvement of eosinophils and neutrophils in Churg-Strauss syndrome (Drage et al). 2002;47: 209-16

Palisaded neutrophilic granulomatous dermatitis in rheumatoid arthritis (Sangueza et al). 2002;47:251-7

**Citrus oil**

Oxidized citrus oil (*R*-limonene): a frequent skin sensitizer in Europe (Matura et al). 2002;47:709-14

**Climate therapy**

Improved quality of life among patients with psoriasis after supervised climate therapy at the Canary Islands (Mørk and Wahl). 2002;47:314-6 (Brief rep.)

**Clinical practice**

Acne therapy: a methodologic review (Lehmann et al). 2002; 47:231-40

The care of patients (Elpern). 2002;47:317-8 (Beneath the surface)

Management of Spitz nevi: a survey of dermatologists in the United States (Gelbard et al). 2002;47:224-30

Off-label prescribing in the treatment of dermatologic disease (Sugarman et al). 2002;47:217-23

Patient and referring provider satisfaction with teledermatology (Weinstock et al). 2002;47:68-72

**Clinical review**

Clinical review. 2002;47:77-90, 286-90, 429-35, 581-99, 908-18

**Clinical trials**

A randomized, double-blind, placebo-controlled phase III study evaluating efficacy and tolerability of 2 courses of alefacept in patients with chronic plaque psoriasis (Krueger et al). 2002;47:821-33

**Colchicine**

Long-term suppression of chronic Sweet's syndrome with colchicine (Ritter et al). 2002;47:323-4 (Letter)

**Cold**

Cold urticaria in a patient with mycosis fungoides (Koay et al). 2002;47:608-10 (Case rep.)

**Commentary**

Commentary. 2002;47:629-31, 792-5, 965-6

**Concepts**

Concepts. 2002;47:124-7

**Condylomata acuminata**

The antimicrobial peptide LL-37 is expressed by keratinocytes in condyloma acuminatum and verruca vulgaris (Conner et al). 2002;47:347-50

Treatment of anogenital warts with imiquimod 5% cream followed by surgical excision of residual lesions (Carrasco et al). 2002;47:S212-6 (Case rep.)

**Continuing medical education**

Continuing medical education examination. 2002;47:18-20, 188-9, 344-5, 485-7, 656-7, 819-20

Continuing medical education examination answers. 2002;47: 17, 190, 346, 488, 658, 818

**Contraceptive agents**

Efficacy of a low-dose oral contraceptive containing 20 μg of ethinyl estradiol and 100 μg of levonorgestrel for the treatment of moderate acne: a randomized, placebo-controlled trial (Leyden et al). 2002;47:399-409 (Therapy)

**Contusions**

The effects of topical vitamin K on bruising after laser treatment (Shah et al). 2002;47:241-4

**Corrections**

Continuing medical education examination answers (2002;46: 822-825). 2002;47:343

Ki-1(CD30) positive anaplastic large cell lymphoma: primary nodal disease relapsing as erythroderma (Goyal et al) (2002; 47:S201-204). 2002;47:972

Primary follicular mucinosis: long-term follow-up of patients younger than 40 years with and without clonal T-cell receptor gene rearrangement (Brown et al) (2002;47:581-99). 2002; 47:972

Review of *Women's Dermatology* (Mercurio) (2002; 46:968). 2002;47:459.

Self-assessment examination (2002;47:161-8). 2002;47:808

**Correspondence** *see* Letters

**Cosmetic techniques**
Bilateral, double-blind, randomized comparison of 3 doses of botulinum toxin type A and placebo in patients with crow's feet (Lowe et al). 2002;47:834-40
Liposuction (Lawrence and Coleman). 2002;47:105-8 (Periodic synopsis)
Photorejuvenation or photoaging: where does one draw the fine line? (Chan). 2002;47:321-2 (Letter)
Treating keratosis pilaris (Gerbig). 2002;47:457 (Letter)
**Cryotherapy**
Anecdotal reports of 3 cases illustrating a spectrum of resistant common warts treated with cryotherapy followed by topical imiquimod and salicylic acid (Housman and Jorizzo). 2002;47:S217-20 (Case rep.)
Photodynamic therapy using topical methyl 5-aminolevulinate compared with cryotherapy for actinic keratosis: a prospective, randomized study (Szeimies et al). 2002;47:258-62 (Therapy)
**Current issues**
Current issues. 2002;47:118-23
**Cutaneous fistula**
Airbag trauma induced cutaneous fistulae in a heart transplant patient (Alam and Bickers). 2002;47:S175-6 (Case rep.)
**Cyclosporine**
Cutaneous T-cell lymphoma developing in a patient on cyclosporin therapy (Kirby et al). 2002;47:S165-7 (Case rep.)
Indirect hyperbilirubinemia caused by cyclosporine (Kimyai-Asadi and Jih). 2002;47:622-3 (Brief rep.)
Psoriasiform mycosis fungoides with fatal outcome after treatment with cyclosporine (Zackheim et al). 2002;47:155-7
**Cytarabine**
Cytarabine-induced acute generalized exanthematous pustulosis (Chiu et al). 2002;47:633-5 (Letter)
**Cytochrome P-450**
Drug interactions: proteins, pumps, and P-450s (Shapiro and Shear). 2002;47:467-84 (CME article)
**Cytokines**
Imiquimod: a cytokine inducer (Dahl). 2002;47:S205-8 (Case rep.)

*D*

**Dandruff**
Treatment of dandruff with 5% tea tree oil shampoo (Satchell et al). 2002;47:852-5
**Dermal elastosis, linear focal**
Coexistence of pseudoxanthoma elasticum-like papillary dermal elastolysis and linear focal dermal elastosis (Akagi et al). 2002;47:S189-92 (Case rep.)
**Dermal hypersensitivity reaction pattern**
The clinical and histopathologic spectrum of "dermal hypersensitivity reactions," a nonspecific histologic diagnosis that is not very useful in clinical practice, and the concept of a "dermal hypersensitivity reaction pattern" (Fung). 2002;47:898-907 (Dermatopathology)
**Dermatitis**
Autoimmune progesterone dermatitis manifested as erythema annulare centrifugum: confirmation of progesterone sensitivity by in vitro interferon-γ release (Halevy et al). 2002;47:311-3 (Brief rep.)
Eyelid dermatitis: experience in 203 cases (Guin). 2002;47:755-65 (Clin. rev.)
Ghost anemone dermatitis (Freudenthal and Barbagallo). 2002;47:722-6
Hand dermatitis (Elston et al). 2002;47:291-9 (Periodic synopsis)
Treatment of dyshidrotic hand dermatitis with intradermal botulinum toxin (Swartling et al). 2002;47:667-71
**Dermatitis, allergic contact**
Allergic contact dermatitis to epoxy resin in immersion oil for light microscopy (el-Azhary and Yiannias). 2002;47:954-5 (Case rep.)
The etiology of allergic-appearing foot dermatitis: a 5-year retrospective study (Shackelford and Belsito). 2002;47:715-21
Peristomal allergic contact dermatitis caused by Stomahesive paste: an additional case (Gallo et al). 2002;47:633 (Letter)
Surveillance of allergic contact dermatitis: epoxy resin and microscopic immersion oil (Hughes and Taylor). 2002;47:965-6 (Commentary)
**Dermatitis, atopic**
Ceramide-dominant barrier repair lipids alleviate childhood atopic dermatitis: changes in barrier function provide a sensitive indicator of disease activity (Chamlin et al). 2002;47:198-208
Prostaglandin $E_2$ induces vasodilation and pruritus, but no protein extravasation in atopic dermatitis and controls (Neisius et al). 2002;47:28-32
Tacrolimus ointment for the treatment of atopic dermatitis is not associated with an increase in cutaneous infections (Fleischer et al). 2002;47:562-70 (Therapy)
**Dermatitis, palisaded neutrophilic**
Palisaded neutrophilic granulomatous dermatitis in rheumatoid arthritis (Sangueza et al). 2002;47:251-7
**Dermatologic surgery**
Dermatologic surgery. 2002;47:419-22, 578-80, 743-8, 885-97
**Dermatology**
Dermatology and the Americans With Disabilities Act: a review of the case law (Curry et al). 2002;47:926-9 (Special report)
The future of academic dermatology in the United States: report on the resident retreat for future physician-scientists, June 15-17, 2001 (Rubenstein et al). 2002;47:300-3 (Special report)
**Dermatomyositis**
Aggressive management of juvenile dermatomyositis results in improved outcome and decreased incidence of calcinosis (Fisler et al). 2002;47:505-11
**Dermatopathology**
Dermatopathology. 2002;47:423-8, 749-54, 898-907
**Dermatophytoma**
Dermatophytoma: recalcitrance to treatment because of existence of fungal biofilm (Burkhart et al). 2002;47:629-31 (Commentary)
**Dermatophytosis**
Safety considerations in the treatment of dermatophytosis (Reed) (Letter) (Smith) (Letter reply). 2002;47:455-6
**Dermoscopy**
Morphologic changes of a pigmented Spitz nevus assessed by dermoscopy (Pizzichetta et al). 2002;47:137-9 (Case rep.)
**Diabetes mellitus**
Effect of insulin-dependent diabetes mellitus on response to extracorporeal photopheresis in patients with Sézary syndrome (Bouwhuis et al). 2002;47:63-7
**Diagnostic pearls**
Diagnostic pearl: bright field globe magnifier diascopy for large pigmented skin lesions: a practical approach to epiluminescence microscopy (Weismann et al). 2002;47:304-6 (Pearls)

**Dihydroxyacetone**
Medical pearl: DHA application for camouflaging segmental vitiligo and piebald lesions (Suga et al). 2002;47:435-8 (Pearls)

**N-Docosanol**
N-docosanol (Abreva) for herpes labialis: problems and questions (Spruance). 2002;47:457-8 (Letter)

**Drainage**
Lymphangitis of the foot demonstrating lymphatic drainage pathways from the sole (Uhara et al). 2002;47:502-4

**Drug eruptions**
Prospective evaluation of risk factors of cutaneous drug reactions to sulfonamides in patients with AIDS (Eliaszewicz et al). 2002;47:40-6

**Drug interactions**
Drug interactions: proteins, pumps, and P-450s (Shapiro and Shear). 2002;47:467-84 (CME article)

*E*

**Eczema, dyshidrotic**
Treatment of dyshidrotic hand dermatitis with intradermal botulinum toxin (Swartling et al). 2002;47:667-71

**ELA-Max 4% Lidocaine**
Efficacy of erbium:yttrium-aluminum-garnet laser–assisted delivery of topical anesthetic (Yun et al). 2002;47:542-7
Topical anesthesia: clarification (Kingsley). 2002;47:158-9 (Letter)

**Elastotic hemangioma, acquired**
Acquired elastotic hemangioma: a clinicopathologic variant of hemangioma (Requena et al). 2002;47:371-6

**Encephalocraniocutaneous lipomatosis**
Neurocutaneous melanosis in association with encephalocraniocutaneous lipomatosis (Ahmed et al). 2002;47:S196-200 (Case rep.)

**Eosine yellowish-(YS)**
Medical pearl: fluorescence microscopy of hematoxylin-eosin–stained sections (Elston). 2002;47:777-9 (Pearls)

**Eosinophils**
Evidence for pathogenic involvement of eosinophils and neutrophils in Churg-Strauss syndrome (Drage et al). 2002;47:209-16

**Epidermal necrolysis, toxic**
Increased interleukin 10, tumor necrosis factor $\alpha$ and interleukin 6 levels in blister fluid of toxic epidermal necrolysis (Correia et al). 2002;47:58-62
Treatment of toxic epidermal necrolysis with intravenous immunoglobulin in children (Tristani-Firouzi et al). 2002;47:548-52

**Epidermolysis bullosa acquisita**
Epidermolysis bullosa acquisita and multiple myeloma (Engineer et al). 2002;47:943-6 (Case rep.)
IgA-mediated epidermolysis bullosa acquisita: two cases and review of the literature (Vodegal et al). 2002;47:919-25 (Review)

**Epiluminescence microscopy**
Diagnostic pearl: bright field globe magnifier diascopy for large pigmented skin lesions: a practical approach to epiluminescence microscopy (Weismann et al). 2002;47:304-6 (Pearls)

**Erythema annulare centrifugum**
Autoimmune progesterone dermatitis manifested as erythema annulare centrifugum: confirmation of progesterone sensitivity by in vitro interferon-$\gamma$ release (Halevy et al). 2002;47:311-3 (Brief rep.)

**Erythema nodosum**
Use of mycophenolate mofetil in erythema nodosum (Boyd). 2002;47:968-9 (Letter: Case notes)

**Erythroderma**
Ki-1(CD30) positive anaplastic large cell lymphoma: primary nodal disease relapsing as erythroderma (Goyal et al). 2002;47:S201-4 (Case rep.). Correction 2002;47:972

**Erythroderma, psoriatic**
Humanized monoclonal anti-CD25 antibody as a novel therapeutic option in HIV-associated psoriatic erythroderma (Dichmann et al). 2002;47:635-6 (Letter)

**Ethinyl estradiol**
Efficacy of a low-dose oral contraceptive containing 20 $\mu$g of ethinyl estradiol and 100 $\mu$g of levonorgestrel for the treatment of moderate acne: a randomized, placebo-controlled trial (Leyden et al). 2002;47:399-409 (Therapy)

**Exanthema**
Gloves and socks syndrome: early and late histopathologic features (Smith et al). 2002;47:749-54 (Dermatopathology)

**Eyelid diseases**
Eyelid dermatitis: experience in 203 cases (Guin). 2002;47:755-65 (Clin. rev.)

*F*

**Face**
Basal cell carcinoma presenting as a large pore (Benedetto et al). 2002;47:727-32
Bilateral, double-blind, randomized comparison of 3 doses of botulinum toxin type A and placebo in patients with crow's feet (Lowe et al). 2002;47:834-40
Cycle therapy of actinic keratoses of the face and scalp with 5% topical imiquimod cream: an open-label trial (Salasche et al). 2002;47:571-7 (Therapy)
Pemphigus vulgaris localized to the nose and cheeks (Baykal et al). 2002;47:875-80
Surgical pearl: enucleation of milia with a disposable hypodermic needle (Thami et al). 2002;47:602-3 (Pearls)
Treatment of chronic actinic dermatitis with tacrolimus ointment (Uetsu et al). 2002;47:881-4 (Therapy)
The use of second-intention healing for partial-thickness Mohs defects involving the vermilion and/or mucosal surfaces of the lip (Gloster). 2002;47:893-7 (Derm. surgery)

**Familial Mediterranean fever**
Familial Mediterranean fever: attacks during isotretinoin treatment (Alli and Toy). 2002;47:967 (Letters: case notes)

**Fasciitis, necrotizing**
Fulminant group A streptococcal necrotizing fasciitis: clinical and pathologic findings in 7 patients (Dahl et al). 2002;47:489-92

**Female pattern hair loss**
Female pattern hair loss (Olsen et al). 2002;47:795 (Commentary)

**Finasteride**
Hair loss in women with hyperandrogenism: four cases responding to finasteride (Shum et al). 2002;47:733-9

**Fluorodeoxyglucose F 18**
Assessment of tumor burden and treatment response by 18F-fluorodeoxyglucose injection and positron emission tomography in patients with cutaneous T- and B-cell lymphomas (Shapiro et al). 2002;47:623-8 (Brief rep.)

**Fluorescence**
Medical pearl: fluorescence microscopy of hematoxylin-eosin–stained sections (Elston). 2002;47:777-9 (Pearls)

**Fluorescent antibody technique, indirect**
A nonfatal case and 2 fatal cases of paraneoplastic pemphigus: can a complement indirect immunofluorescent test help to identify fatal "group A" paraneoplastic pemphigus cases? (Beutner et al). 2002;47:841-51
**Fluoroscopy**
Radiation-induced morphea occurring after fluoroscopy (McClelland et al). 2002;47:962-4 (Case rep.)
**Fluorosteroids**
A footnote on the origin of fluorosteroids (Lerner). 2002;47:128 (History)
**Fluticasone propionate**
Fluticasone propionate spray and betamethasone sodium phosphate mouthrinse: a randomized crossover study for the treatment of symptomatic oral lichen planus (Hegarty et al). 2002;47:271-9 (Therapy)
**Follicular dyskeratoma**
Warty dyskeratoma—"follicular dyskeratoma": analysis of clinicopathologic features of a distinctive follicular adnexal neoplasm (Kaddu et al). 2002;47:423-8 (Dermatopathology)
**Follicular mucinosis**
Primary follicular mucinosis: long-term follow-up of patients younger than 40 years with and without clonal T-cell receptor gene rearrangement (Brown et al). 2002;47:856-62. Correction 2002;47:972
**Foot**
Acrokeratoelastoidosis (Bogle et al). 2002;47:448-51 (Case rep.)
Circumscribed palmar or plantar hypokeratosis: a distinctive epidermal malformation of the palms or soles (Pérez et al). 2002;47:21-7
The etiology of allergic-appearing foot dermatitis: a 5-year retrospective study (Shackelford and Belsito). 2002;47:715-21
Lymphangitis of the foot demonstrating lymphatic drainage pathways from the sole (Uhara et al). 2002;47:502-4
**Friction**
Friction hypermelanosis: other variants (Magaña and Herrera-Goepfert) (Letter) (Naimer and Trattner) (Letter reply). 2002;47:454-5
**Fried, Josef**
A footnote on the origin of fluorosteroids (Lerner). 2002;47:128 (History)
**From the Academy**
From the Academy. 2002;47:766-9
**Fungi**
Dermatophytoma: recalcitrance to treatment because of existence of fungal biofilm (Burkhart et al). 2002;47:629-31 (Commentary)
***Fusarium***
Skin lesions associated with *Fusarium* infection (Bodey et al). 2002;47:659-66

*G*

**Gangrene**
Acute infectious purpura fulminans associated with asplenism or hyposplenism (Ward et al). 2002;47:493-6
Paraneoplastic acral vascular syndrome: epidemiologic features, clinical manifestations, and disease sequelae (Poszepczynska-Guigné et al). 2002;47:47-52
**Genetic predisposition to disease**
Atrichia with papular lesions resulting from compound heterozygous mutations in the hairless gene: a lesson for differential diagnosis of alopecia universalis (Henn et al). 2002;47:519-23
Familial aquagenic urticaria associated with familial lactose intolerance (Treudler et al). 2002;47:611-3 (Case rep.)
Familial Mediterranean fever: attacks during isotretinoin treatment (Alli and Toy). 2002;47:967 (Letters: case notes)
Incontinentia pigmenti: a review and update on the molecular basis of pathophysiology (Berlin et al). 2002;47:169-87 (CME article)
The molecular basis of hereditary palmoplantar keratodermas (Kimyai-Asadi et al). 2002;47:327-43 (CME article)
Progress in heritable skin diseases: molecular bases and clinical implications (Pulkkinen et al). 2002;47:91-104 (Review)
Two brothers with keratosis follicularis spinulosa decalvans (Alfadley et al). 2002;47:S275-8 (Case rep.)
**Genitalia**
The persistent risk of genital tumors among men treated with psoralen plus ultraviolet A (PUVA) for psoriasis (Stern RS et al). 2002;47:33-9
**Giant lymph node hyperplasia**
Kaposi's sarcoma and other manifestations of human herpesvirus 8 (Geraminejad et al). 2002;47:641-55 (CME article)
**Gloves and socks syndrome**
Gloves and socks syndrome: early and late histopathologic features (Smith et al). 2002;47:749-54 (Dermatopathology)
**P-Glycoproteins**
Drug interactions: proteins, pumps, and P-450s (Shapiro and Shear). 2002;47:467-84 (CME article)
**Grover's disease**
Unilateral transient acantholytic dermatosis (Grover's disease) along Blaschko lines (Fantini et al). 2002;47:319-20 (Letter)

*H*

**Hailey-Hailey disease**
Effective treatment of Hailey-Hailey disease with topical tacrolimus (Rabeni and Cunningham). 2002;47:797-8 (Letter: case notes)
**Hair**
Approach to the adult female patient with diffuse nonscarring alopecia (Chartier et al). 2002;47:809-18 (CME article)
Atrichia with papular lesions resulting from compound heterozygous mutations in the hairless gene: a lesson for differential diagnosis of alopecia universalis (Henn et al). 2002;47:519-23
Chronic telogen effluvium in a man (Thai and Sinclair). 2002;47:605-7 (Case rep.)
Itraconazole therapy for white piedra affecting scalp hair (Khandpur and Reddy). 2002;47:415-8 (Therapy)
Occupational alopecia or alopecia areata? (Tosti et al). 2002;47:636-7 (Letter)
A randomized clinical trial of 5% topical minoxidil versus 2% topical minoxidil and placebo in the treatment of androgenetic alopecia in men (Olsen et al). 2002;47:377-85
Thalidomide-induced remission of lichen planopilaris (Boyd and King). 2002;47:967-8 (Letter: case notes)
Treatment of dandruff with 5% tea tree oil shampoo (Satchell et al). 2002;47:852-5
**Hair follicles**
Follicular differentiation in basal cell carcinoma and the trend to designate benign or questionable lesions as malignant (Rapini). 2002;47:792-4 (Commentary)
Scanner-assisted carbon dioxide laser surgery: a retrospective

follow-up study of patients with hidradenitis suppurativa (Lapins et al). 2002;47:280-5 (Laser surgery)

Treatment of pseudofolliculitis barbae in skin types IV, V, and VI with a long-pulsed neodymium:yttirum aluminum garnet laser (Ross et al). 2002;47:263-70 (Therapy)

***Haloclava producta***

Ghost anemone dermatitis (Freudenthal and Barbagallo). 2002;47:722-6

**Hamartoma**

Eccrine angiomatous hamartoma (Pelle et al). 2002;47:429-35 (Clin. rev.)

**Hand**

Acrokeratoelastoidosis (Bogle et al). 2002;47:448-51 (Case rep.)

Circumscribed palmar or plantar hypokeratosis: a distinctive epidermal malformation of the palms or soles (Pérez et al). 2002;47:21-7

Hand dermatitis (Elston et al). 2002;47:291-9 (Periodic synopsis)

**Head and neck disorders**

Benign cephalic histiocytosis: a case report and review (Jih et al). 2002;47:908-13 (Clin. rev.)

**Heart transplantation**

Airbag trauma induced cutaneous fistulae in a heart transplant patient (Alam and Bickers). 2002;47:S175-6 (Case rep.)

**Hemangioma**

Acquired elastotic hemangioma: a clinicopathologic variant of hemangioma (Requena et al). 2002;47:371-6

**Hematopoietic stem cell transplantation**

Induction of complete remission of advanced stage mycosis fungoides by allogeneic hematopoietic stem cell transplantation (Masood et al). 2002;47:140-5 (Brief rep.)

**Hemostasis, surgical**

Surgical pearl: hemostasis assisted with two skin hooks (Boyer et al). 2002;47:938-9 (Pearls)

**Heparin**

Heparin-induced thrombocytopenia: a complication in extracorporeal photochemotherapy (photopheresis) (Dittberner et al). 2002;47:452-3 (Letter)

**Hepatic veno-occlusive disease**

Treatment of psoriasis with 6-thioguanine and hepatic venoocclusive disease (Romagosa et al) (Letter: notes & comments) (Krueger and Callas) (Reply). 2002;47:970-2

**Herpes labialis**

N-docosanol (Abreva) for herpes labialis: problems and questions (Spruance). 2002;47:457-8 (Letter)

**Herpes zoster**

Herpes zoster of the penis: an unusual location for a common eruption (Spray and Glaser). 2002;47:S177-9 (Case rep.)

**Herpesvirus, Kaposi sarcoma-associated**

Kaposi's sarcoma and other manifestations of human herpesvirus 8 (Geraminejad et al). 2002;47:641-55 (CME article)

**Hidradenitis suppurativa**

Scanner-assisted carbon dioxide laser surgery: a retrospective follow-up study of patients with hidradenitis suppurativa (Lapins et al). 2002;47:280-5 (Laser surgery)

**Hispanic people**

Skin cancer awareness in suburban employees: a Hispanic perspective (Pipitone et al). 2002;47:118-23 (Current issues)

**Histiocytosis**

Benign cephalic histiocytosis: a case report and review (Jih et al). 2002;47:908-13 (Clin. rev.)

**History**

History. 2002;47:128, 930-7

**HIV**

Humanized monoclonal anti-CD25 antibody as a novel therapeutic option in HIV-associated psoriatic erythroderma (Dichmann et al). 2002;47:635-6 (Letter)

**Hodgkin's disease**

Multiple cutaneous granular cell tumors in a child in remission for Hodgkin's disease (Da Raeve et al). 2002;47:S180-2 (Case rep.)

**HTLV-1**

Mycosis fungoides and serology for human T-cell lymphotropic virus, type 1 (Kimball and Turner) (Letter) (Sharquie et al) (Letter reply). 2002;47:159-60

**Hutchinson's melanotic freckle**

Histologic evaluation of lentigo maligna with permanent sections: implications regarding current guidelines (Agarwal-Antal et al). 2002;47:743-8 (Derm. surgery)

**Hydroxyurea**

Nail pigmentation caused by hydroxyurea: report of 9 cases (Aste et al). 2002;47:146-7 (Brief rep.)

**Hyperandrogenism**

Hair loss in women with hyperandrogenism: four cases responding to finasteride (Shum et al). 2002;47:733-9

**Hyperbilirubinemia**

Indirect hyperbilirubinemia caused by cyclosporine (Kimyai-Asadi and Jih). 2002;47:622-3 (Brief rep.)

**Hypersensitivity**

The clinical and histopathologic spectrum of "dermal hypersensitivity reactions," a nonspecific histologic diagnosis that is not very useful in clinical practice, and the concept of a "dermal hypersensitivity reaction pattern" (Fung). 2002;47:898-907 (Dermatopathology)

**Hypertriglyceridemia**

Optimizing bexarotene therapy for cutaneous T-cell lymphoma (Talpur et al). 2002;47:672-84

**Hypokeratosis**

Circumscribed palmar or plantar hypokeratosis: a distinctive epidermal malformation of the palms or soles (Pérez et al). 2002;47:21-7

*I*

**IDEC-114**

Clinical and histologic response to single-dose treatment of moderate to severe psoriasis with an anti-CD80 monoclonal antibody (Gottlieb et al). 2002;47:692-700

**Imiquimod**

Anecdotal reports of 3 cases illustrating a spectrum of resistant common warts treated with cryotherapy followed by topical imiquimod and salicylic acid (Housman and Jorizzo). 2002;47:S217-20 (Case rep.)

Clinical effect of imiquimod 5% cream in the treatment of actinic keratosis (Persaud et al). 2002;47:553-6

Cycle therapy of actinic keratoses of the face and scalp with 5% topical imiquimod cream: an open-label trial (Salasche et al). 2002;47:571-7 (Therapy)

Imiquimod: a cytokine inducer (Dahl). 2002;47:S205-8 (Case rep.)

Imiquimod 5% cream for the treatment of superficial basal cell carcinoma: a double-blind, randomized, vehicle-controlled study (Geisse et al). 2002;47:390-8

Imiquimod cream in the treatment of actinic keratoses (Persaud and Lebwohl). 2002;47:S236-9 (Case rep.)

An open case series of patients with basal cell carcinoma treated with topical 5% imiquimod cream (Cowen et al). 2002;47:S240-8 (Case rep.)

Pilot study of the effect of postoperative imiquimod 5% cream

on recurrence rate of excised keloids (Berman and Kaufman). 2002;47:S209-11 (Case rep.)
Topical 5% imiquimod for the therapy of actinic cheilitis (Smith et al). 2002;47:497-501
Treatment of anogenital warts with imiquimod 5% cream followed by surgical excision of residual lesions (Carrasco et al). 2002;47:S212-6 (Case rep.)
Treatment of molluscum contagiosum with imiquimod 5% cream (Skinner). 2002;47:S221-4 (Case rep.)
Treatment of primary limited cutaneous extramammary Paget's disease with topical imiquimod monotherapy: two case reports (Zampogna et al). 2002;47:S229-35 (Case rep.)
Treatment of squamous cell carcinoma in situ of the penis with 5% imiquimod cream: a case report (Orengo et al). 2002;47:S225-8 (Case rep.)

**Immune system**
Cutaneous *Bacillus cereus* infection in an immunocompetent patient (Boulinguez and Viraben). 2002;47:324-5 (Letter)
Lymphedema: an immunologically vulnerable site for development of neoplasms (Ruocco et al). 2002;47:124-7 (Concepts)
Skin cancer in organ transplant recipients: epidemiology, pathogenesis, and management (Berg and Otley). 2002;47:1-17 (CME article)

**Immunoglobulins**
Acute infantile hemorrhagic edema and Henoch-Schönlein purpura: is IgA the missing link? (Goraya and Kaur) (Letter) (Millard et al) (Letter reply). 2002;47:801-2 (Letter: notes & comments)
IgA-mediated epidermolysis bullosa acquisita: two cases and review of the literature (Vodegal et al). 2002;47:919-25 (Review)
Increased serum immunoglobulin levels are common in mycosis fungoides and Sézary syndrome (Talpur et al). 2002;47:685-91
Treatment of pemphigus with intravenous immunoglobulin (Bystryn et al). 2002;47:358-63
Treatment of toxic epidermal necrolysis with intravenous immunoglobulin in children (Tristani-Firouzi et al). 2002;47:548-52
Vesiculobullous systemic lupus erythematosus: a case with circulating IgG and IgA autoantibodies to type VII collagen (Nitta et al). 2002;47:S283-6 (Case rep.)

**In memoriam**
Brian Jegasothy, 1943-2001 (Lazarus). 2002;47:973-4
Charles A. Oclassen, 1907-2001 (Oclassen). 2002;47:975
Herbert A. Luscombe, 1916-2002 (Uitto). 2002;47:976

**Incontinentia pigmenti**
Incontinentia pigmenti: a review and update on the molecular basis of pathophysiology (Berlin et al). 2002;47:169-87 (CME article)

**Infants, newborn**
Acute infantile hemorrhagic edema and Henoch-Schönlein purpura: is IgA the missing link? (Goraya and Kaur) (Letter) (Millard et al) (Letter reply). 2002;47:801-2 (Letter: notes & comments)
Congenital and infantile melanoma: review of the literature and report of an uncommon variant, pigment-synthesizing melanoma (Richardson et al). 2002;47:77-90 (Clin. rev.)
Neurocutaneous melanosis in association with encephalocraniocutaneous lipomatosis (Ahmed et al). 2002;47:S196-200 (Case rep.)

**Infection**
Acute infectious purpura fulminans associated with asplenism or hyposplenism (Ward et al). 2002;47:493-6
Antiviral agents: nonantiviral drugs (Brown et al). 2002;47:581-99 (Clin. rev.)
Cutaneous *Bacillus cereus* infection in an immunocompetent patient (Boulinguez and Viraben). 2002;47:324-5 (Letter)
Fulminant group A streptococcal necrotizing fasciitis: clinical and pathologic findings in 7 patients (Dahl et al). 2002;47:489-92
Skin lesions associated with *Fusarium* infection (Bodey et al). 2002;47:659-66
Tacrolimus ointment for the treatment of atopic dermatitis is not associated with an increase in cutaneous infections (Fleischer et al). 2002;47:562-70 (Therapy)

**Infection control**
Surgical pearl: behold the lowly cup (Chen et al). 2002;47:940-1 (Pearls)

**Infliximab**
Infliximab for the treatment of severe pustular psoriasis (Elewski). 2002;47:796-7 (Letter: case notes)

**Interferon**
Pilot study of the effect of postoperative imiquimod 5% cream on recurrence rate of excised keloids (Berman and Kaufman). 2002;47:S209-11 (Case rep.)

**Interleukins**
Increased interleukin 10, tumor necrosis factor $\alpha$ and interleukin 6 levels in blister fluid of toxic epidermal necrolysis (Correia et al). 2002;47:58-62

**Iotaderma**
Iotaderma. 2002;47:132, 310, 438, 604, 779, 942

**Isotretinoin**
Familial Mediterranean fever: attacks during isotretinoin treatment (Alli and Toy). 2002;47:967 (Letters: case notes)
Pregnancy and pregnancy rates in association with isotretinoin (Accutane) (Brinker et al). 2002;47:798-9 (Letter: notes & comments)

**Itraconazole**
Itraconazole therapy for white piedra affecting scalp hair (Khandpur and Reddy). 2002;47:415-8 (Therapy)

*J*

**Jegasothy, Brian**
Brian Jegasothy, 1943-2001 (Lazarus). 2002;47:973-4 (In memoriam)

*K*

**Kaposi's sarcoma**
Kaposi's sarcoma and other manifestations of human herpesvirus 8 (Geraminejad et al). 2002;47:641-55 (CME article)

**Keloids**
Pilot study of the effect of postoperative imiquimod 5% cream on recurrence rate of excised keloids (Berman and Kaufman). 2002;47:S209-11 (Case rep.)
Surgical pearl: excision with suprakeloidal flap and radiation therapy for keloids (Adams and Gloster). 2002;47:307-9 (Pearls)

**Keratinocytes, follicular**
Acne: 1991-2001 (Thiboutot). 2002;47:109-17 (Periodic synopsis)

**Keratoderma, palmoplantar**
The molecular basis of hereditary palmoplantar keratodermas (Kimyai-Asadi et al). 2002;47:327-43 (CME article)

**Keratosis, actinic**
Clinical effect of imiquimod 5% cream in the treatment of actinic keratosis (Persaud et al). 2002;47:553-6
Cycle therapy of actinic keratoses of the face and scalp with 5% topical imiquimod cream: an open-label trial (Salasche et al). 2002;47:571-7 (Therapy)
Imiquimod cream in the treatment of actinic keratoses (Persaud and Lebwohl). 2002;47:S236-9 (Case rep.)
Photodynamic therapy using topical methyl 5-aminolevulinate compared with cryotherapy for actinic keratosis: a prospective, randomized study (Szeimies et al). 2002;47:258-62 (Therapy)
**Keratosis follicularis spinulosa decalvans**
Two brothers with keratosis follicularis spinulosa decalvans (Alfadley et al). 2002;47:S275-8 (Case rep.)
**Keratosis pilaris**
Treating keratosis pilaris (Gerbig). 2002;47:457 (Letter)
**Ketron-Goodman disease**
Disseminated pagetoid reticulosis (Ketron-Goodman disease): six-year follow-up (Nakada et al). 2002;47:S183-6 (Case rep.)
**Kikuchi-Fujimoto disease**
Spontaneous clearance of psoriasis during the course of Kikuchi-Fujimoto disease (Kato• et al). 2002;47:S287-8 (Case rep.)

*L*

**Lactose intolerance**
Familial aquagenic urticaria associated with familial lactose intolerance (Treudler et al). 2002;47:611-3 (Case rep.)
**Laser surgery**
Photorejuvenation or photoaging: where does one draw the fine line? (Chan). 2002;47:321-2 (Letter)
Scanner-assisted carbon dioxide laser surgery: a retrospective follow-up study of patients with hidradenitis suppurativa (Lapins et al). 2002;47:280-5 (Laser surgery)
**Laser therapy**
The effects of topical vitamin K on bruising after laser treatment (Shah et al). 2002;47:241-4
Medium-dose 308-nm excimer laser for the treatment of psoriasis (Trehan and Taylor). 2002;47:701-8
Response of childhood tufted angioma to the pulsed-dye laser (Mahendran et al). 2002;47:620-2 (Brief rep.)
Treatment of pseudofolliculitis barbae in skin types IV, V, and VI with a long-pulsed neodymium:yttirum aluminum garnet laser (Ross et al). 2002;47:263-70 (Therapy)
**Laser-assisted topical anesthesia**
Efficacy of erbium:yttrium-aluminum-garnet laser–assisted delivery of topical anesthetic (Yun et al). 2002;47:542-7
**Leishmaniasis**
Cutaneous leishmaniasis: Texas case diagnosed by electron microscopy (Maloney et al). 2002;47:614-6 (Case rep.)
**Letters**
About the pathophysiology of venous leg ulceration (Malanin) (Letter) (Kirsner et al.) (Letter reply). 2002;47:157-8
Mycosis fungoides and serology for human T-cell lymphotropic virus, type 1 (Kimball and Turner) (Letter) (Sharquie et al) (Letter reply). 2002;47:159-60
Psoriasiform mycosis fungoides with fatal outcome after treatment with cyclosporine (Zackheim et al). 2002;47:155-7
Topical anesthesia: clarification (Kingsley). 2002;47:158-9
**Letters: case notes**
Cytarabine-induced acute generalized exanthematous pustulosis (Chiu et al). 2002;47:633-5
Effective treatment of Hailey-Hailey disease with topical tacrolimus (Rabeni and Cunningham). 2002;47:797-8
Familial Mediterranean fever: attacks during isotretinoin treatment (Alli and Toy). 2002;47:967
Heparin-induced thrombocytopenia: a complication in extracorporeal photochemotherapy (photopheresis) (Dittberner et al). 2002;47:452-3
Infliximab for the treatment of severe pustular psoriasis (Elewski). 2002;47:796-7
Long-term suppression of chronic Sweet's syndrome with colchicine (Ritter et al). 2002;47:323-4
Occupationally induced pyoderma gangrenosum (Youker et al). 2002;47:322-3
Paronychia induced by cetuximab, an antiepidermal growth factor receptor antibody (Boucher et al). 2002;47:632-3
Peristomal allergic contact dermatitis caused by Stomahesive paste: an additional case (Gallo et al). 2002;47:633
Photoeruption in a patient treated with capecitabine (Xeloda) for metastatic breast cancer (Willey et al). 2002;47:453
Thalidomide-induced remission of lichen planopilaris (Boyd & King). 2002;47:967-8
Use of mycophenolate mofetil in erythema nodosum (Boyd). 2002;47:968-9
**Letters: notes & comments**
Acute infantile hemorrhagic edema and Henoch-Schönlein purpura: is IgA the missing link? (Goraya and Kaur) (Letter) (Millard et al) (Letter reply). 2002;47:801-2
Alitretinoin gel to treat pyogenic granuloma (Maloney et al). 2002;47:969-70
Dermatoses of pregnancy: rose of circulating fetal cells (Saraswat and Kumar). 2002;47:799-800
Friction hypermelanosis: other variants (Magaña and Herrera-Goepfert) (Letter) (Naimer and Trattner) (Letter reply). 2002;47:454-5
Granulocyte and monocyte adsorption apheresis for pyoderma gangrenosum (Kanekura et al). 2002;47:320-1
N-docosanol (Abreva) for herpes labialis: problems and questions (Spruance). 2002;47:457-8
Occupational alopecia or alopecia areata? (Tosti et al). 2002;47:636-7
Pyogenic granuloma–like lesions associated with topical retinoid therapy (Baran). 2002;47:970
Photorejuvenation or photoaging: where does one draw the fine line? (Chan). 2002;47:321-2
Pregnancy and pregnancy rates in association with isotretinoin (Accutane) (Brinker et al). 2002;47:798-9
Safety considerations in the treatment of dermatophytosis (Reed) (Letter) (Smith) (Letter reply). 2002;47:455-6
Treating keratosis pilaris (Gerbig). 2002;47:457
Treatment of psoriasis with 6-thioguanine and hepatic venoocclusive disease (Romagosa et al) (Letter: notes & comments) (Krueger and Callas) (Reply). 2002;47:970-2
Unilateral transient acantholytic dermatosis (Grover's disease) along Blaschko lines (Fantini et al). 2002;47:319-20
**Levonorgestrel**
Efficacy of a low-dose oral contraceptive containing 20 μg of ethinyl estradiol and 100 μg of levonorgestrel for the treatment of moderate acne: a randomized, placebo-controlled trial (Leyden et al). 2002;47:399-409 (Therapy)
**Lichen planus**
Fluticasone propionate spray and betamethasone sodium phosphate mouthrinse: a randomized crossover study for the treatment of symptomatic oral lichen planus (Hegarty et al). 2002;47:271-9 (Therapy)
An open trial of topical tacrolimus for erosive oral lichen planus (Morrison et al). 2002;47:617-20 (Brief rep.)

Thalidomide-induced remission of lichen planopilaris (Boyd and King). 2002;47:967-8 (Letter: case notes)

**Limonene**

Oxidized citrus oil (*R*-limonene): a frequent skin sensitizer in Europe (Matura et al). 2002;47:709-14

**Lip neoplasms**

Desmoplastic malignant melanoma of the lip: a report of 6 cases and review of the literature (Hui et al). 2002;47:863-8

The use of second-intention healing for partial-thickness Mohs defects involving the vermilion and/or mucosal surfaces of the lip (Gloster). 2002;47:893-7 (Derm. surgery)

**Lipids**

Ceramide-dominant barrier repair lipids alleviate childhood atopic dermatitis: changes in barrier function provide a sensitive indicator of disease activity (Chamlin et al). 2002;47:198-208

**Liposuction**

Liposuction (Lawrence and Coleman). 2002;47:105-8 (Periodic synopsis)

**Liver**

Indirect hyperbilirubinemia caused by cyclosporine (Kimyai-Asadi and Jih). 2002;47:622-3 (Brief rep.)

**LL-37**

The antimicrobial peptide LL-37 is expressed by keratinocytes in condyloma acuminatum and verruca vulgaris (Conner et al). 2002;47:347-50

**Lupus erythematosus, systemic**

Functional melanonychia due to involvement of the nail matrix in systemic lupus erythematosus (Skowron et al). 2002;47:S187-8 (Case rep.)

Hypocomplementemic urticarial vasculitis: report of a 12-year-old girl with systemic lupus erythematosus (DeAmicis et al). 2002;47:S273-4 (Case rep.)

Vesiculobullous systemic lupus erythematosus: a case with circulating IgG and IgA autoantibodies to type VII collagen (Nitta et al). 2002;47:S283-6 (Case rep.)

**Luscombe, Herbert A.**

Herbert A. Luscombe, 1916-2002 (Uitto). 2002;47:976 (In memoriam)

**Lymphangitis**

Lymphangitis of the foot demonstrating lymphatic drainage pathways from the sole (Uhara et al). 2002;47:502-4

**Lymphatic diseases**

Spontaneous clearance of psoriasis during the course of Kikuchi-Fujimoto disease (Kato et al). 2002;47:S287-8 (Case rep.)

**Lymphedema**

Lymphedema: an immunologically vulnerable site for development of neoplasms (Ruocco et al). 2002;47:124-7 (Concepts)

**Lymphocytoma**

*Borrelia burgdorferi*–associated lymphocytoma cutis simulating a primary cutaneous large B-cell lymphoma (Grange et al). 2002;47:530-4

**Lymphoma**

Assessment of tumor burden and treatment response by 18F-fluorodeoxyglucose injection and positron emission tomography in patients with cutaneous T- and B-cell lymphomas (Shapiro et al). 2002;47:623-8 (Brief rep.)

Kaposi's sarcoma and other manifestations of human herpesvirus 8 (Geraminejad et al). 2002;47:641-55 (CME article)

Primary follicular mucinosis: long-term follow-up of patients younger than 40 years with and without clonal T-cell receptor gene rearrangement (Brown et al). 2002;47:856-62. Correction 2002;47:972

**Lymphoma, anaplastic large cell**

Ki-1(CD30) positive anaplastic large cell lymphoma: primary nodal disease relapsing as erythroderma (Goyal et al). 2002;47:S201-4 (Case rep.). Correction 2002;47:972

**Lymphoma, T-cell**

Cutaneous T-cell lymphoma developing in a patient on cyclosporin therapy (Kirby et al). 2002;47:S165-7 (Case rep.)

Invisible mycosis fungoides: a diagnostic challenge (Pujol et al). 2002;47:S168-71 (Case rep.)

Novel multimodality biologic response modifier therapy, including bexarotene and long-wave ultraviolet A for a patient with refractory stage IVa cutaneous T-cell lymphoma (Shapiro et al). 2002;47:956-61 (Case rep.)

Optimizing bexarotene therapy for cutaneous T-cell lymphoma (Talpur et al). 2002;47:672-84

*M*

**Mayapple**

Useful plants of dermatology. VI. The mayapple *(Podophyllum)* (Schwartz and Norton). 2002;47:774-5 (Special report)

**Melanoma**

Congenital and infantile melanoma: review of the literature and report of an uncommon variant, pigment-synthesizing melanoma (Richardson et al). 2002;47:77-90 (Clin. rev.)

Congenital Spitz nevus clinically mimicking melanoma (Zaenglein et al). 2002;47:441-4 (Case rep.)

Desmoplastic malignant melanoma of the lip: a report of 6 cases and review of the literature (Hui et al). 2002;47:863-8

Histologic evaluation of lentigo maligna with permanent sections: implications regarding current guidelines (Agarwal-Antal et al). 2002;47:743-8 (Derm. surgery)

Multiple nevoid malignant melanomas in a patient with AIDS: the role of proliferating cell nuclear antigen in the diagnosis (Pereira et al). 2002;47:S172-4 (Case rep.)

**Melanonychia**

Functional melanonychia due to involvement of the nail matrix in systemic lupus erythematosus (Skowron et al). 2002;47:S187-8 (Case rep.)

**Melanosis**

Neurocutaneous melanosis in association with encephalocraniocutaneous lipomatosis (Ahmed et al). 2002;47:S196-200 (Case rep.)

**Men**

Chronic telogen effluvium in a man (Thai and Sinclair). 2002;47:605-7 (Case rep.)

**Methyl 5-aminolevulinate**

Photodynamic therapy using topical methyl 5-aminolevulinate compared with cryotherapy for actinic keratosis: a prospective, randomized study (Szeimies et al). 2002;47:258-62 (Therapy)

**Microdialysis, intradermal**

Sensitivity of human scalp skin to pruritic stimuli investigated by intradermal microdialysis in vivo (Rukwied et al). 2002;47:245-50

**Microscopy**

Allergic contact dermatitis to epoxy resin in immersion oil for light microscopy (el-Azhary and Yiannias). 2002;47:954-5 (Case rep.)

Surveillance of allergic contact dermatitis: epoxy resin and

microscopic immersion oil (Hughes and Taylor). 2002;47:965-6 (Commentary)

**Microscopy, confocal**

Real-time in vivo confocal reflectance microscopy of basal cell carcinoma (González et al). 2002;47:869-74

**Microscopy, electron**

Cutaneous leishmaniasis: Texas case diagnosed by electron microscopy (Maloney et al). 2002;47:614-6 (Case rep.)

**Microscopy, epiluminescence**

Diagnostic pearl: bright field globe magnifier diascopy for large pigmented skin lesions: a practical approach to epiluminescence microscopy (Weismann et al). 2002;47:304-6 (Pearls)

**Microscopy, fluorescence**

Medical pearl: fluorescence microscopy of hematoxylin-eosin–stained sections (Elston). 2002;47:777-9 (Pearls)

**Milia**

Surgical pearl: enucleation of milia with a disposable hypodermic needle (Thami et al). 2002;47:602-3 (Pearls)

**Minoxidil**

A randomized clinical trial of 5% topical minoxidil versus 2% topical minoxidil and placebo in the treatment of androgenetic alopecia in men (Olsen et al). 2002;47:377-85

**Mohs surgery**

Erosive adenomatosis of the nipple: conservation of the nipple by Mohs micrographic surgery (Lee and Chung). 2002;47:578-80 (Derm. surgery)

Local control of primary Merkel cell carcinoma: review of 45 cases treated with Mohs micrographic surgery with and without adjuvant radiation (Boyer et al). 2002;47:885-92 (Derm. surgery)

Prognostic factors for life expectancy in nonagenarians with nonmelanoma skin cancer: implications for selecting surgical candidates. 2002;47:419-22 (Derm. surgery)

The use of second-intention healing for partial-thickness Mohs defects involving the vermilion and/or mucosal surfaces of the lip (Gloster). 2002;47:893-7 (Derm. surgery)

**Molluscum contagiosum**

Treatment of molluscum contagiosum with imiquimod 5% cream (Skinner). 2002;47:S221-4 (Case rep.)

**Morphea**

Radiation-induced morphea occurring after fluoroscopy (McClelland et al). 2002;47:962-4 (Case rep.)

**Mouth diseases**

An open trial of topical tacrolimus for erosive oral lichen planus (Morrison et al). 2002;47:617-20 (Brief rep.)

Extensive Riga-Fede disease of the lip and tongue (Zaenglein et al). 2002;47:445-7 (Case rep.)

**Multiple myeloma**

Epidermolysis bullosa acquisita and multiple myeloma (Engineer et al). 2002;47:943-6 (Case rep.)

**Mycophenolate mofetil**

Use of mycophenolate mofetil in erythema nodosum (Boyd). 2002;47:968-9 (Letter: case notes)

**Mycosis fungoides**

Cold urticaria in a patient with mycosis fungoides (Koay et al). 2002;47:608-10 (Case rep.)

Disseminated pagetoid reticulosis (Ketron-Goodman disease): six-year follow-up (Nakada et al). 2002;47:S183-6 (Case rep.)

Increased serum immunoglobulin levels are common in mycosis fungoides and Sézary syndrome (Talpur et al). 2002;47:685-91

Induction of complete remission of advanced stage mycosis fungoides by allogeneic hematopoietic stem cell transplantation (Masood et al). 2002;47:140-5 (Brief rep.)

Invisible mycosis fungoides: a diagnostic challenge (Pujol et al). 2002;47:S168-71 (Case rep.)

Mycosis fungoides: the great imitator (Zackheim and McCalmont). 2002;47:914-8 (Clin. rev.)

Mycosis fungoides and serology for human T-cell lymphotropic virus, type 1 (Kimball and Turner) (Letter) (Sharquie et al) (Letter reply). 2002;47:159-60

Narrowband UVB phototherapy for early stage mycosis fungoides (Gathers et al). 2002;47:188-9

Psoriasiform mycosis fungoides with fatal outcome after treatment with cyclosporine (Zackheim et al). 2002;47:155-7 (Letter)

Total skin electron radiation in the management of mycosis fungoides: consensus of the European Organization for Research and Treatment of Cancer (EORTC) Cutaneous Lymphoma Project Group (Jones et al). 2002;47:364-70

Treatment of childhood mycosis fungoides with topical PUVA (Pabsch et al). 2002;47:557-61 (Therapy)

*N*

**Nails**

Bowen's disease clinically simulating an onychomatricoma (Baran and Perrin). 2002;47:947-9 (Case rep.)

Functional melanonychia due to involvement of the nail matrix in systemic lupus erythematosus (Skowron et al). 2002;47:S187-8 (Case rep.)

Nail pigmentation caused by hydroxyurea: report of 9 cases (Aste et al). 2002;47:146-7 (Brief rep.)

**National Institute of Arthritis and Musculoskeletal and Skin Diseases**

Health disparities in arthritis and musculoskeletal and skin diseases—the dermatology session: National Institute of Arthritis and Musculoskeletal and Skin Diseases, Bethesda, Maryland, December 15-16, 2000 (Taylor et al). 2002;47:770-3 (Special report)

**Needlestick injuries**

Surgical pearl: behold the lowly cup (Chen et al). 2002;47:940-1 (Pearls)

**Neovastat**

Neovastat (Æ-941), an inhibitor of angiogenesis: randomized phase I/II clinical trial results in patients with plaque psoriasis (Sauder et al). 2002;47:535-41

**Neutrophils**

Evidence for pathogenic involvement of eosinophils and neutrophils in Churg-Strauss syndrome (Drage et al). 2002;47:209-16

**Nevus**

Congenital Spitz nevus clinically mimicking melanoma (Zaenglein et al). 2002;47:441-4 (Case rep.)

Management of Spitz nevi: a survey of dermatologists in the United States (Gelbard et al). 2002;47:224-30

Morphologic changes of a pigmented Spitz nevus assessed by dermoscopy (Pizzichetta et al). 2002;47:137-9 (Case rep.)

Multiple nevoid malignant melanomas in a patient with AIDS: the role of proliferating cell nuclear antigen in the diagnosis (Pereira et al). 2002;47:S172-4 (Case rep.)

**Nipples**

Erosive adenomatosis of the nipple: conservation of the nipple by Mohs micrographic surgery (Lee and Chung). 2002;47:578-80 (Derm. surgery)

*O*

**Occupational diseases**
Interdigital pilonidal sinus in dog groomer (Papa et al). 2002; 47:S281-2 (Case rep.)
Occupational alopecia or alopecia areata? (Tosti et al). 2002; 47:636-7 (Letter)
Occupationally induced pyoderma gangrenosum (Youker et al). 2002;47:322-3 (Letter)
**Oclassen, Charles A.**
Charles A. Oclassen, 1907-2001 (Oclassen). 2002;47:975 (In memoriam)
**Onychomatricoma**
Bowen's disease clinically simulating an onychomatricoma (Baran and Perrin). 2002;47:947-9 (Case rep.)

*P*

**Pagetoid reticulosis**
Disseminated pagetoid reticulosis (Ketron-Goodman disease): six-year follow-up (Nakada et al). 2002;47:S183-6 (Case rep.)
**Paget's disease, extramammary**
Treatment of primary limited cutaneous extramammary Paget's disease with topical imiquimod monotherapy: two case reports (Zampogna et al). 2002;47:S229-35 (Case rep.)
**Panniculitis**
Use of mycophenolate mofetil in erythema nodosum (Boyd). 2002;47:968-9 (Letter: case notes)
**Papillomavirus, human**
Penile lesions and human papillomavirus in male sexual partners of women with cervical intraepithelial neoplasia (Bleeker et al). 2002;47:351-7
**Parakeratosis**
Granular parakeratosis: resolution with topical tretinoin (Brown and Heilman). 2002;47:S279-80 (Case rep.)
**Paronychia**
Paronychia induced by cetuximab, an antiepidermal growth factor receptor antibody (Boucher et al). 2002;47:632-3
Topical steroids versus systemic antifungals in the treatment of chronic paronychia: an open, randomized double-blind and double dummy study (Tosti et al). 2002;47:73-6 (Therapy)
**Parvovirus B19**
Gloves and socks syndrome: early and late histopathologic features (Smith et al). 2002;47:749-54 (Dermatopathology)
**Pathology, surgical**
Surgical pearl: marking of cutaneous excisional specimens for orientation (Antonovich and Whalen). 2002;47:776 (Pearls)
**Patient awareness**
Skin cancer awareness in suburban employees: a Hispanic perspective (Pipitone et al). 2002;47:118-23
**Patient care**
The care of patients (Elpern). 2002;47:317-8 (Beneath the surface)
**Pearls**
Diagnostic. 2002;47:304-6
Medical. 2002;47:435-8, 777-9
Surgical. 2002;47:129-31, 307-9, 439-40, 600-3, 777, 938-41
**Pemphigoid, bullous**
Pemphigoid gestationis with predominant involvement of oral mucous membranes and IgA autoantibodies targeting the C-terminus of BP180 (Shimanovich et al). 2002;47:780-4 (Case rep.)
Subacute prurigo variant of bullous pemphigoid: autoantibodies show the same specificity compared with classic bullous pemphigoid (Schmidt et al). 2002;47:133-6 (Case rep.)
**Pemphigoid, cicatricial**
Thalidomide therapy for cicatricial pemphigoid (Duong et al). 2002;47:S193-5 (Case rep.)
**Pemphigus**
Anti-CD20 chimeric monoclonal antibody (rituximab) for the treatment of recalcitrant, life-threatening pemphigus vulgaris with implications in the pathogenesis of the disorder (Salopek et al). 2002;47:785-8 (Case rep.)
Effective treatment of Hailey-Hailey disease with topical tacrolimus (Rabeni and Cunningham). 2002;47:797-8 (Letter: case notes)
A nonfatal case and 2 fatal cases of paraneoplastic pemphigus: can a complement indirect immunofluorescent test help to identify fatal "group A" paraneoplastic pemphigus cases? (Beutner et al). 2002;47:841-51
Pemphigus vulgaris localized to the nose and cheeks (Baykal et al). 2002;47:875-80
Photodynamic therapy with 5-aminolevulinic acid for recalcitrant familial benign pemphigus (Hailey-Hailey disease) (Ruiz-Rodriguez et al). 2002;47:740-2 (Therapy)
Treatment of pemphigus with intravenous immunoglobulin (Bystryn et al). 2002;47:358-63
**Penis**
Herpes zoster of the penis: an unusual location for a common eruption (Spray and Glaser). 2002;47:S177-9 (Case rep.)
Penile lesions and human papillomavirus in male sexual partners of women with cervical intraepithelial neoplasia (Bleeker et al). 2002;47:351-7
Treatment of squamous cell carcinoma in situ of the penis with 5% imiquimod cream: a case report (Orengo et al). 2002;47: S225-8 (Case rep.)
**Periodic synopsis**
Periodic synopsis. 2002;47:105-17, 291-9
**Pharmaceutical preparations**
Acne therapy: a methodologic review (Lehmann et al). 2002; 47:231-40
Antiviral agents: nonantiviral drugs (Brown et al). 2002;47: 581-99 (Clin. rev.)
Imiquimod: a cytokine inducer (Dahl). 2002;47:S205-8 (Case rep.)
Off-label prescribing in the treatment of dermatologic disease (Sugarman et al). 2002;47:217-23
**Photopheresis**
Effect of insulin-dependent diabetes mellitus on response to extracorporeal photopheresis in patients with Sézary syndrome (Bouwhuis et al). 2002;47:63-7
Heparin-induced thrombocytopenia: a complication in extracorporeal photochemotherapy (photopheresis) (Dittberner et al). 2002;47:452-3 (Letter)
**Photosensitivity disorders**
Treatment of chronic actinic dermatitis with tacrolimus ointment (Uetsu et al). 2002;47:881-4 (Therapy)
**Phototherapy**
Narrowband UVB phototherapy for early stage mycosis fungoides (Gathers et al). 2002;47:191-7
Photodynamic therapy using topical methyl 5-aminolevulinate compared with cryotherapy for actinic keratosis: a prospective, randomized study (Szeimies et al). 2002;47:258-62 (Therapy)
Photodynamic therapy with 5-aminolevulinic acid for recalcitrant familial benign pemphigus (Hailey-Hailey disease) (Ruiz-Rodriguez et al). 2002;47:740-2 (Therapy)

**Physicians**
The future of academic dermatology in the United States: report on the resident retreat for future physician-scientists, June 15-17, 2001 (Rubenstein et al). 2002;47:300-3 (Special report)
**Piebaldism**
Medical pearl: DHA application for camouflaging segmental vitiligo and piebald lesions (Suga et al). 2002;47:435-8 (Pearls)
**Piedra**
Itraconazole therapy for white piedra affecting scalp hair (Khandpur and Reddy). 2002;47:415-8 (Therapy)
**Pigmentation disorders**
Friction hypermelanosis: other variants (Magaña and Herrera-Goepfert) (Letter) (Naimer and Trattner) (Letter reply). 2002;47:454-5
Morphologic changes of a pigmented Spitz nevus assessed by dermoscopy (Pizzichetta et al). 2002;47:137-9 (Case rep.)
Nail pigmentation caused by hydroxyurea: report of 9 cases (Aste et al). 2002;47:146-7 (Brief rep.)
Topical tacrolimus for repigmentation of vitiligo (Grimes et al). 2002;47:789-91 (Brief rep.)
**Pilonidal sinus**
Interdigital pilonidal sinus in dog groomer (Papa et al). 2002;47:S281-2 (Case rep.)
**Pityriasis lichenoides**
Medium-dose ultraviolet A1 therapy for pityriasis lichenoides et varioliformis acuta and pityriasis lichenoides chronica (Calzavara-Pinton et al). 2002;47:410-4 (Therapy)
**Pityriasis rubra pilaris**
Pityriasis rubra pilaris in children (Allison et al). 2002;47:386-9
**Plant extracts**
Useful plants of dermatology. VI. The mayapple *(Podophyllum)* (Schwartz and Norton). 2002;47:774-5 (Special report)
*Podophyllum*
Useful plants of dermatology. VI. The mayapple *(Podophyllum)* (Schwartz and Norton). 2002;47:774-5 (Special report)
**Pregnancy**
Dermatoses of pregnancy: rose of circulating fetal cells (Saraswat and Kumar). 2002;47:799-800 (Letter: notes & comments)
Pemphigoid gestationis with predominant involvement of oral mucous membranes and IgA autoantibodies targeting the C-terminus of BP180 (Shimanovich et al). 2002;47:780-4 (Case rep.)
Pregnancy and pregnancy rates in association with isotretinoin (Accutane) (Brinker et al). 2002;47:798-9 (Letter: notes & comments)
Safety considerations in the treatment of dermatophytosis (Reed) (Letter) (Smith) (Letter reply). 2002;47:455-6
**Progesterone**
Autoimmune progesterone dermatitis manifested as erythema annulare centrifugum: confirmation of progesterone sensitivity by in vitro interferon-γ release (Halevy et al). 2002;47:311-3 (Brief rep.)
**Proliferating cell nuclear antigen**
Multiple nevoid malignant melanomas in a patient with AIDS: the role of proliferating cell nuclear antigen in the diagnosis (Pereira et al). 2002;47:S172-4 (Case rep.)
**Prostaglandin $E_2$**
Prostaglandin $E_2$ induces vasodilation and pruritus, but no protein extravasation in atopic dermatitis and controls (Neisius et al). 2002;47:28-32
**Prurigo**
Subacute prurigo variant of bullous pemphigoid: autoantibodies show the same specificity compared with classic bullous pemphigoid (Schmidt et al). 2002;47:133-6 (Case rep.)
**Pruritus**
Invisible mycosis fungoides: a diagnostic challenge (Pujol et al). 2002;47:S168-71 (Case rep.)
Prostaglandin $E_2$ induces vasodilation and pruritus, but no protein extravasation in atopic dermatitis and controls (Neisius et al). 2002;47:28-32
Sensitivity of human scalp skin to pruritic stimuli investigated by intradermal microdialysis in vivo (Rukwied et al). 2002;47:245-50
Unilateral transient acantholytic dermatosis (Grover's disease) along Blaschko lines (Fantini et al). 2002;47:319-20
**Pseudofolliculitis barbae**
Treatment of pseudofolliculitis barbae in skin types IV, V, and VI with a long-pulsed neodymium:yttirum aluminum garnet laser (Ross et al). 2002;47:263-70 (Therapy)
**Pseudoxanthoma elasticum-like papillary dermal elastolysis**
Coexistence of pseudoxanthoma elasticum-like papillary dermal elastolysis and linear focal dermal elastosis (Akagi et al). 2002;47:S189-92 (Case rep.)
**Psoriasis**
Clinical and histologic response to single-dose treatment of moderate to severe psoriasis with an anti-CD80 monoclonal antibody (Gottlieb et al). 2002;47:692-700
Dermatology and the Americans With Disabilities Act: a review of the case law (Curry et al). 2002;47:926-9 (Special report)
Improved quality of life among patients with psoriasis after supervised climate therapy at the Canary Islands (Mørk and Wahl). 2002;47:314-6 (Brief rep.)
Infliximab for the treatment of severe pustular psoriasis (Elewski). 2002;47:796-7 (Letter: case notes)
Medium-dose 308-nm excimer laser for the treatment of psoriasis (Trehan and Taylor). 2002;47:701-8
Neovastat (Æ-941), an inhibitor of angiogenesis: randomized phase I/II clinical trial results in patients with plaque psoriasis (Sauder et al). 2002;47:535-41
Quantifying the harmful effect of psoriasis on health-related quality of life (Weiss et al). 2002;47:512-7
A randomized, double-blind, placebo-controlled phase III study evaluating efficacy and tolerability of 2 courses of alefacept in patients with chronic plaque psoriasis (Krueger et al). 2002;47:821-33
Spontaneous clearance of psoriasis during the course of Kikuchi-Fujimoto disease (Kato et al). 2002;47:S287-8 (Case rep.)
Treatment of psoriasis with 6-thioguanine and hepatic venoocclusive disease (Romagosa et al) (Letter: notes & comments) (Krueger and Callis) (Reply). 2002;47:970-2
**Purpura, Schoenlein-Henoch**
Acute infantile hemorrhagic edema and Henoch-Schönlein purpura: is IgA the missing link? (Goraya and Kaur) (Letter) (Millard et al) (Letter reply). 2002;47:801-2 (Letter: notes & comments)
Acute infectious purpura fulminans associated with asplenism or hyposplenism (Ward et al). 2002;47:493-6
**Pustulosis, acute generalized exanthematous**
Cytarabine-induced acute generalized exanthematous pustulosis (Chiu et al). 2002;47:633-5 (Letter)
**PUVA therapy**
The persistent risk of genital tumors among men treated with

psoralen plus ultraviolet A (PUVA) for psoriasis (Stern RS et al). 2002;47:33-9
Treatment of childhood mycosis fungoides with topical PUVA (Pabsch et al). 2002;47:557-61 (Therapy)

**Pyoderma gangrenosum**
Granulocyte and monocyte adsorption apheresis for pyoderma gangrenosum (Kanekura et al). 2002;47:320-1 (Letter)
Occupationally induced pyoderma gangrenosum (Youker et al). 2002;47:322-3 (Letter)

**Pyoderma granuloma**
Alitretinoin gel to treat pyogenic granuloma (Maloney et al). 2002;47:969-70 (Letter: notes & comments)
Pyogenic granuloma–like lesions associated with topical retinoid therapy (Baran). 2002;47:970 (Letter: notes & comments)

*Q*

**Quality of life**
Improved quality of life among patients with psoriasis after supervised climate therapy at the Canary Islands (Mørk and Wahl). 2002;47:314-6 (Brief rep.)
Quantifying the harmful effect of psoriasis on health-related quality of life (Weiss et al). 2002;47:512-7

*R*

**Radiotherapy**
Local control of primary Merkel cell carcinoma: review of 45 cases treated with Mohs micrographic surgery with and without adjuvant radiation (Boyer et al). 2002;47:885-92 (Derm. surgery)
Medium-dose ultraviolet A1 therapy for pityriasis lichenoides et varioliformis acuta and pityriasis lichenoides chronica (Calzavara-Pinton et al). 2002;47:410-4 (Therapy)
Radiation-induced morphea occurring after fluoroscopy (McClelland et al). 2002;47:962-4 (Case rep.)
Total skin electron radiation in the management of mycosis fungoides: consensus of the European Organization for Research and Treatment of Cancer (EORTC) Cutaneous Lymphoma Project Group (Jones et al). 2002;47:364-70

**Retinoids**
Pyogenic granuloma–like lesions associated with topical retinoid therapy (Baran). 2002;47:970 (Letter: notes & comments)

**Review**
Review. 2002;47:91-104, 919-25

**Rheumatoid arthritis**
Palisaded neutrophilic granulomatous dermatitis in rheumatoid arthritis (Sangueza et al). 2002;47:251-7

**Riga-Fede disease**
Extensive Riga-Fede disease of the lip and tongue (Zaenglein et al). 2002;47:445-7 (Case rep.)

**Rituximab**
Anti-CD20 chimeric monoclonal antibody (rituximab) for the treatment of recalcitrant, life-threatening pemphigus vulgaris with implications in the pathogenesis of the disorder (Salopek et al). 2002;47:785-8 (Case rep.)

**Ro/SS-A autoantibodies**
Prevalence of 52-kd and 60-kd Ro/SS-A autoantibodies in Japanese patients with polymyositis/dermatomyositis (Kubo et al). 2002;47:148-51 (Brief rep.)

*S*

**Salicylic acid**
Anecdotal reports of 3 cases illustrating a spectrum of resistant common warts treated with cryotherapy followed by topical imiquimod and salicylic acid (Housman and Jorizzo). 2002;47:S217-20 (Case rep.)

**Scalp**
Cycle therapy of actinic keratoses of the face and scalp with 5% topical imiquimod cream: an open-label trial (Salasche et al). 2002;47:571-7 (Therapy)
Sensitivity of human scalp skin to pruritic stimuli investigated by intradermal microdialysis in vivo (Rukwied et al). 2002;47:245-50

**Science**
The future of academic dermatology in the United States: report on the resident retreat for future physician-scientists, June 15-17, 2001 (Rubenstein et al). 2002;47:300-3 (Special report)

**Sea anemones**
Ghost anemone dermatitis (Freudenthal and Barbagallo). 2002;47:722-6

**Self-assessment examination**
Self-assessment examination. 2002;47:161-8 (Correction 2002;47:808), 460-6, 803-8

**Sézary syndrome**
Effect of insulin-dependent diabetes mellitus on response to extracorporeal photopheresis in patients with Sézary syndrome (Bouwhuis et al). 2002;47:63-7
Increased serum immunoglobulin levels are common in mycosis fungoides and Sézary syndrome (Talpur et al). 2002;47:685-91

**Sjögren's syndrome**
Prevalence of 52-kd and 60-kd Ro/SS-A autoantibodies in Japanese patients with polymyositis/dermatomyositis (Kubo et al). 2002;47:148-51 (Brief rep.)

**Skin diseases**
The clinical and histopathologic spectrum of "dermal hypersensitivity reactions," a nonspecific histologic diagnosis that is not very useful in clinical practice, and the concept of a "dermal hypersensitivity reaction pattern" (Fung). 2002;47:898-907 (Dermatopathology)
Coexistence of pseudoxanthoma elasticum-like papillary dermal elastolysis and linear focal dermal elastosis (Akagi et al). 2002;47:S189-92 (Case rep.)
Cutaneous anthrax management algorithm (Carucci et al). 2002;47:766-9 (From the academy)
Cutaneous leishmaniasis: Texas case diagnosed by electron microscopy (Maloney et al). 2002;47:614-6 (Case rep.)
Dermatoses of pregnancy: rose of circulating fetal cells (Saraswat and Kumar). 2002;47:799-800 (Letter: notes & comments)
Epidermolysis bullosa acquisita and multiple myeloma (Engineer et al). 2002;47:943-6 (Case rep.)
Granular parakeratosis: resolution with topical tretinoin (Brown and Heilman). 2002;47:S279-80 (Case rep.)
Health disparities in arthritis and musculoskeletal and skin diseases—the dermatology session: National Institute of Arthritis and Musculoskeletal and Skin Diseases, Bethesda, Maryland, December 15-16, 2000 (Taylor et al). 2002;47:770-3 (Special report)
IgA-mediated epidermolysis bullosa acquisita: two cases and review of the literature (Vodegal et al). 2002;47:919-25 (Review)
Imiquimod cream in the treatment of actinic keratoses (Persaud and Lebwohl). 2002;47:S236-9 (Case rep.)

Interdigital pilonidal sinus in dog groomer (Papa et al). 2002; 47:S281-2 (Case rep.)
Mycosis fungoides: the great imitator (Zackheim and McCalmont). 2002;47:914-8 (Clin. rev.)
Off-label prescribing in the treatment of dermatologic disease (Sugarman et al). 2002;47:217-23
Pityriasis rubra pilaris in children (Allison et al). 2002;47: 386-9
Progress in heritable skin diseases: molecular bases and clinical implications (Pulkkinen et al). 2002;47:91-104 (Review)
Quantifying the harmful effect of psoriasis on health-related quality of life (Weiss et al). 2002;47:512-7
Skin lesions associated with *Fusarium* infection (Bodey et al). 2002;47:659-66
Three-dimensional analysis of a calciphylaxis plaque: clues to pathogenesis (Au and Crawford). 2002;47:53-7
Unilateral transient acantholytic dermatosis (Grover's disease) along Blaschko lines (Fantini et al). 2002;47:319-20 (Letter)

**Skin neoplasms**
Basal cell carcinoma presenting as a large pore (Benedetto et al). 2002;47:727-32
*Borrelia burgdorferi*–associated lymphocytoma cutis simulating a primary cutaneous large B-cell lymphoma (Grange et al). 2002;47:530-4
Clinical effect of imiquimod 5% cream in the treatment of actinic keratosis (Persaud et al). 2002;47:553-6
Eccrine angiomatous hamartoma (Pelle et al). 2002;47:429-35 (Clin. rev.)
The evolution of current medical and popular attitudes toward ultraviolet light exposure: part 1 (Albert and Ostheimer). 2002;47:930-7 (History)
Follicular differentiation in basal cell carcinoma and the trend to designate benign or questionable lesions as malignant (Rapini). 2002;47:792-4 (Commentary)
Imiquimod 5% cream for the treatment of superficial basal cell carcinoma: a double-blind, randomized, vehicle-controlled study (Geisse et al). 2002;47:390-8
Ki-1(CD30) positive anaplastic large cell lymphoma: primary nodal disease relapsing as erythroderma (Goyal et al). 2002;47:S201-4 (Case rep.). Correction 2002;47:972
Local control of primary Merkel cell carcinoma: review of 45 cases treated with Mohs micrographic surgery with and without adjuvant radiation (Boyer et al). 2002;47:885-92 (Derm. surgery)
Lymphedema: an immunologically vulnerable site for development of neoplasms (Ruocco et al). 2002;47:124-7 (Concepts)
Management of Spitz nevi: a survey of dermatologists in the United States (Gelbard et al). 2002;47:224-30
Multiple cutaneous granular cell tumors in a child in remission for Hodgkin's disease (Da Raeve et al). 2002;47:S180-2 (Case rep.)
An open case series of patients with basal cell carcinoma treated with topical 5% imiquimod cream (Cowen et al). 2002;47:S240-8 (Case rep.)
Paraneoplastic acral vascular syndrome: epidemiologic features, clinical manifestations, and disease sequelae (Poszepczynska-Guigné et al). 2002;47:47-52
Prognostic factors for life expectancy in nonagenarians with nonmelanoma skin cancer: implications for selecting surgical candidates (Charles et al). 2002;47:419-22 (Derm. surgery)
Real-time in vivo confocal reflectance microscopy of basal cell carcinoma (González et al). 2002;47:869-74
Sebaceous carcinoma in children (Omura et al). 2002;47:950-3 (Case rep.)
Skin cancer awareness in suburban employees: a Hispanic perspective (Pipitone et al). 2002;47:118-23 (Current issues)
Squamous cell carcinoma of the legs in African Americans (McCall and Chen). 2002;47:524-9
Topical 5% imiquimod for the therapy of actinic cheilitis (Smith et al). 2002;47:497-501
Total skin electron radiation in the management of mycosis fungoides: consensus of the European Organization for Research and Treatment of Cancer (EORTC) Cutaneous Lymphoma Project Group (Jones et al). 2002;47:364-70
Treatment of primary limited cutaneous extramammary Paget's disease with topical imiquimod monotherapy: two case reports (Zampogna et al). 2002;47:S229-35 (Case rep.)
Warty dyskeratoma—"follicular dyskeratoma": analysis of clinicopathologic features of a distinctive follicular adnexal neoplasm (Kaddu et al). 2002;47:423-8 (Dermatopathology)

**Skin transplantation**
Surgical pearl: the "skin strip" method for harvesting tissue to graft for chronic ulceration (Woodrow et al). 2002;47:600-1 (Pearls)

**Special reports**
Special reports. 2002;47:300-3, 770-5, 926-9

**Specimen handling**
Surgical pearl: marking of cutaneous excisional specimens for orientation (Antonovich and Whalen). 2002;47:776 (Pearls)

**Steroids**
A footnote on the origin of fluorosteroids (Lerner). 2002;47:128 (History)
Topical steroids versus systemic antifungals in the treatment of chronic paronychia: an open, randomized double-blind and double dummy study (Tosti et al). 2002;47:73-6 (Therapy)

**Stomas**
Peristomal allergic contact dermatitis caused by Stomahesive paste: an additional case (Gallo et al). 2002;47:633 (Letter)

***Streptococcus*, group A**
Fulminant group A streptococcal necrotizing fasciitis: clinical and pathologic findings in 7 patients (Dahl et al). 2002;47: 489-92

**Sulfonamides**
Prospective evaluation of risk factors of cutaneous drug reactions to sulfonamides in patients with AIDS (Eliaszewicz et al). 2002;47:40-6

**Sunlight**
The evolution of current medical and popular attitudes toward ultraviolet light exposure: part 1 (Albert and Ostheimer). 2002;47:930-7 (History)

**Surgical pearls**
Surgical pearl: behold the lowly cup (Chen et al). 2002;47:940-1 (Pearls)
Surgical pearl: enucleation of milia with a disposable hypodermic needle (Thami et al). 2002;47:602-3 (Pearls)
Surgical pearl: excision with suprakeloidal flap and radiation therapy for keloids (Adams and Gloster). 2002;47:307-9 (Pearls)
Surgical pearl: hemostasis assisted with two skin hooks (Boyer et al). 2002;47:938-9 (Pearls)
Surgical pearl: marking of cutaneous excisional specimens for orientation (Antonovich and Whalen). 2002;47:776 (Pearls)
Surgical pearl: the "skin strip" method for harvesting tissue to

graft for chronic ulceration (Woodrow et al). 2002;47:600-1 (Pearls)
Tulle or veil fabric: a versatile option for dressings (Kadunc et al). 2002;47:129-31 (Pearls)

**Sweet's syndrome**
Long-term suppression of chronic Sweet's syndrome with colchicine (Ritter et al). 2002;47:323-4 (Letter)

*T*

**T lymphocytes**
Induction of complete remission of advanced stage mycosis fungoides by allogeneic hematopoietic stem cell transplantation (Masood et al). 2002;47:140-5 (Brief rep.)

**Tacrolimus**
An open trial of topical tacrolimus for erosive oral lichen planus (Morrison et al). 2002;47:617-20 (Brief rep.)
Effective treatment of Hailey-Hailey disease with topical tacrolimus (Rabeni and Cunningham). 2002;47:797-8 (Letter: case notes)
Tacrolimus ointment for the treatment of atopic dermatitis is not associated with an increase in cutaneous infections (Fleischer et al). 2002;47:562-70 (Therapy)
Topical tacrolimus for repigmentation of vitiligo (Grimes et al). 2002;47:789-91 (Brief rep.)
Treatment of chronic actinic dermatitis with tacrolimus ointment (Uetsu et al). 2002;47:881-4 (Therapy)

**Tea tree oil**
Treatment of dandruff with 5% tea tree oil shampoo (Satchell et al). 2002;47:852-5

**Teledermatology**
Patient and referring provider satisfaction with teledermatology Weinstock MA et al). 2002;47:68-72

**Telogen effluvium, chronic**
Chronic telogen effluvium in a man (Thai and Sinclair). 2002;47:605-7 (Case rep.)

**Tendons**
Surgical pearl: punch technique to improve granulation over exposed tendons in chronic wounds (Sullivan and Kirsner). 2002;47:439-40 (Pearls)

**Thalidomide**
Thalidomide therapy for cicatricial pemphigoid (Duong et al). 2002;47:S193-5 (Case rep.)
Thalidomide-induced remission of lichen planopilaris (Boyd & King). 2002;47:967-8 (Letter: case note)

**Therapy**
Therapy. 2002;47:73-6, 258-79, 399-418, 557-77, 740-2, 881-4

**Thioguanine**
Treatment of psoriasis with 6-thioguanine and hepatic venoocclusive disease (Romagosa et al) (Letter) (Krueger and Callas) (Reply). 2002;47:970-2

**Thrombocytopenia**
Heparin-induced thrombocytopenia: a complication in extracorporeal photochemotherapy (photopheresis) (Dittberner et al). 2002;47:452-3 (Letter)

**Tinea corporis gladiatorum**
Tinea corporis gladiatorum (Adams). 2002;47:286-90 (Clin. rev.)

**Tomography, positron-emission**
Assessment of tumor burden and treatment response by 18F-fluorodeoxyglucose injection and positron emission tomography in patients with cutaneous T- and B-cell lymphomas (Shapiro et al). 2002;47:623-8 (Brief rep.)

**Transplantation**
Cutaneous T-cell lymphoma developing in a patient on cyclosporin therapy (Kirby et al). 2002;47:S165-7 (Case rep.)
Skin cancer in organ transplant recipients: epidemiology, pathogenesis, and management (Berg and Otley ). 2002;47:1-17 (CME article)

**Tretinoin**
Granular parakeratosis: resolution with topical tretinoin (Brown and Heilman). 2002;47:S279-80 (Case rep.)

**Tumor necrosis factor α**
Increased interleukin 10, tumor necrosis factor α and interleukin 6 levels in blister fluid of toxic epidermal necrolysis (Correia et al). 2002;47:58-62

*U*

**Ulcers**
About the pathophysiology of venous leg ulceration (Malanin) (Letter) (Kirsner et al.) (Letter reply). 2002;47:157-8
Granulocyte and monocyte adsorption apheresis for pyoderma gangrenosum (Kanekura et al). 2002;47:320-1 (Letter)
Occupationally induced pyoderma gangrenosum (Youker et al). 2002;47:322-3 (Letter)

**Ultraviolet radiation**
The evolution of current medical and popular attitudes toward ultraviolet light exposure: part 1 (Albert and Ostheimer). 2002;47:930-7 (History)
Medium-dose 308-nm excimer laser for the treatment of psoriasis (Trehan and Taylor). 2002;47:701-8
Medium-dose ultraviolet A1 therapy for pityriasis lichenoides et varioliformis acuta and pityriasis lichenoides chronica (Calzavara-Pinton et al). 2002;47:410-4 (Therapy)
Narrowband UVB phototherapy for early stage mycosis fungoides (Gathers et al). 2002;47:191-7
Novel multimodality biologic response modifier therapy, including bexarotene and long-wave ultraviolet A for a patient with refractory stage IVa cutaneous T-cell lymphoma (Shapiro et al). 2002;47:956-61 (Case rep.)
Photorejuvenation or photoaging: where does one draw the fine line? (Chan). 2002;47:321-2 (Letter)

**Urticaria**
Cold urticaria in a patient with mycosis fungoides (Koay et al). 2002;47:608-10 (Case rep.)
Familial aquagenic urticaria associated with familial lactose intolerance (Treudler et al). 2002;47:611-3 (Case rep.)

*V*

**Vasculitis**
Hypocomplementemic urticarial vasculitis: report of a 12-year-old girl with systemic lupus erythematosus (DeAmicis et al). 2002;47:S273-4 (Case rep.)

**Vasodilation**
Prostaglandin $E_2$ induces vasodilation and pruritus, but no protein extravasation in atopic dermatitis and controls (Neisius et al). 2002;47:28-32

**Venous insufficiency**
About the pathophysiology of venous leg ulceration (Malanin) (Letter) (Kirsner et al.) (Letter reply). 2002;47:157-8

**Vitamin K**
The effects of topical vitamin K on bruising after laser treatment (Shah et al). 2002;47:241-4

**Vitiligo**
Medical pearl: DHA application for camouflaging segmental

vitiligo and piebald lesions (Suga et al). 2002;47:435-8 (Pearls)

Topical tacrolimus for repigmentation of vitiligo (Grimes et al). 2002;47:789-91 (Brief rep.)

*W*

**Warts**

Anecdotal reports of 3 cases illustrating a spectrum of resistant common warts treated with cryotherapy followed by topical imiquimod and salicylic acid (Housman and Jorizzo). 2002;47:S217-20 (Case rep.)

The antimicrobial peptide LL-37 is expressed by keratinocytes in condyloma acuminatum and verruca vulgaris (Conner et al). 2002;47:347-50

Treatment of anogenital warts with imiquimod 5% cream followed by surgical excision of residual lesions (Carrasco et al). 2002;47:S212-6 (Case rep.)

**Warty dyskeratoma**

Warty dyskeratoma—"follicular dyskeratoma": analysis of clinicopathologic features of a distinctive follicular adnexal neoplasm (Kaddu et al). 2002;47:423-8 (Dermatopathology)

**Women**

Acquired elastotic hemangioma: a clinicopathologic variant of hemangioma (Requena et al). 2002;47:371-6

Approach to the adult female patient with diffuse nonscarring alopecia (Chartier et al). 2002;47:809-18 (CME article)

Female pattern hair loss (Olsen et al). 2002;47:795 (Commentary)

Hair loss in women with hyperandrogenism: four cases responding to finasteride (Shum et al). 2002;47:733-9

**Wound healing**

Surgical pearl: punch technique to improve granulation over exposed tendons in chronic wounds (Sullivan and Kirsner). 2002;47:439-40 (Pearls)

Tulle or veil fabric: a versatile option for dressings (Kadunc et al). 2002;47:129-31 (Pearls)